



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

HANDBOOK  
FOR THE INSTRUCTION  
OF  
ATTENDANTS  
ON THE INSANE

BAILLIÈRE TINDALL & COX

1535  
e. 297

PRESS	207.
SHELF	8.
No	8.

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype in the 1990s [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

The purpose of this study was to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

#### Methods

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

#### Results

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

#### Discussion

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

#### Conclusion

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.



600047343R

C

1535 e. 297.

# H A N D B O O K


FOR THE INSTRUCTION OF

## Attendants on the Insane.

---

PREPARED BY A SUB-COMMITTEE OF THE MEDICO-PSYCHOLOGICAL ASSOCIATION  
APPOINTED AT A BRANCH MEETING HELD IN GLASGOW ON THE  
21ST FEBRUARY, 1884.

---



London:

*BAILLIÈRE, TINDALL, & COX,*  
20 KING WILLIAM STREET, STRAND.

MDCCCLXXXV.

**Perth:**

**S. COWAN AND CO., STRATHMORE PRINTING WORKS.**

## INTRODUCTION.

---

THIS hand-book has been prepared in the hope of helping Attendants on the insane to a due understanding of the work in which they are engaged. It is sought to give them such simple notions of the Body and Mind in health and disease, such instructions for the management of those maladies with which they are usually brought in contact, and such Rules for their guidance in matters of every day experience, as will enable them to do their work with greater intelligence and watchfulness. It is designed that these instructions should aid Attendants to carry out the orders of the Physicians; but it is to be distinctly understood that in no case is anything contained in this book to over-ride the special rules of any Institution, or special orders in regard to any individual case.

A. CAMPBELL CLARK *Convener.*

C. M'IVOR CAMPBELL.

A. R. TURNBULL.

A. R. URQUHART.

*Sub-Committee.*

## CONTENTS.

---

CHAPTER I. The Body, its general functions and disorders.

CHAPTER II. The Nursing of the Sick.

CHAPTER III. Mind, and its disorders.

CHAPTER IV. The Care of the Insane.

CHAPTER V. The General Duties of Attendants.



# H A N D B O O K

FOR THE INSTRUCTION OF

## Attendants on the Insane.

---

### CHAPTER I.

#### THE BODY, ITS GENERAL FUNCTIONS AND DISORDERS.

ALTHOUGH all animals having a backbone are fashioned on the same general plan, man differs from the lower animals in his outward appearance, internal structure, habits of life, and faculties of mind.

How man  
differs from  
the lower  
animals.

In outward appearance there is this noticeable difference, that of all animals man only walks erect, in internal structure his brain is more highly elaborated, consequently in his habits of life he is widely different, and in the development of his mental faculties he is superior to all other animals.

We see in a healthy man a uniform plan, a shapeliness of form, and an arrangement of parts closely knit and working in harmony.

His external  
appearance.

The parts are the head, the trunk (or body), and the limbs; and they are jointed together so as to form one complete fabric, the human body.

His parts  
and joints.

These parts are themselves made up of smaller parts. The head is composed of many small bones firmly welded together; the trunk is many jointed; and the limbs have elbows, wrists, hips, knees, ankles, &c. All these are the joints of the skeleton or bony frame-

work, which is composed of nearly three hundred bones arranged and jointed together in human form, strong to withstand muscular strain, to resist external violence, and to protect internal parts.

Internal  
structure.

A deeper inspection reveals that the body is not solid, as it appears to be from without ; but that it is hollow, and divided into two cavities, the one large and the other small.

Cavities and  
organs.

The larger is the cavity of the trunk (or body proper), and contains the organs of nutrition ; the smaller is the cavity of the head, and back-bone, and contains the organs of the nervous system.

The body cavity is divided by a partition into an *upper* (chest or thorax) which lodges the heart and lungs, and a *lower* (the belly or abdomen) which lodges the liver, stomach, kidneys, bowels, and other organs.

The cavity of the nervous system consists of two divisions : First, the skull which accommodates the brain ; and second, the back-bone which lodges the spinal cord.

The contents of these cavities have been called organs ; each organ is implanted there for a special purpose or duty ; and the duty of the organ is called its function.

The machin-  
ery in motion,  
"wheels with  
in wheels."

These cavities contain the greater part of the machinery of life ; and could we but peep within, what a busy scene would present itself ! the pumping of the heart, the respiration of the lungs, the digestion of food, and the other movements necessary to life. These movements are complementary to each other : the organs of digestion and respiration supply nourishment to the circulation ; the circulation distributes nourishment to all parts of the body ; the hungry tissues feed upon this nourishment, and throw their refuse back into the circulation ; the circulation discharges its waste matter into the channels provided for draining it away ; and, last of all, these movements are regulated by the nervous system, which exercises a direction of all the other functions.

## THE CIRCULATION OF THE BLOOD.

Of these functions, let us first understand the circulation of the blood, "the river of life."

The heart is  
centre of the  
circulation.

The heart is the beginning and end of the circulation. Placed in the thorax between the lungs, it is a hollow organ, the size of a closed fist, and shaped like a pear. It contains four small cham-

bers, quite enclosed and separate from each other ; two of these are *upper* and two *lower*. It has been compared to a force pump, for, like a pump, it is a receiver and discharger, and is fitted with valves. It receives blood and discharges blood. The two *upper* chambers (called auricles) are the *receivers* ; the two *lower* (called ventricles) are the *dischargers*.

Its size, shape, compartments, and connections with arteries and veins.

Now, from the heart to all parts of the body, two sets of pipes are laid down, which diminish in size the further they lie from the heart. They are not unlike india-rubber tubes to the touch, but many are so small as only to be seen under the microscope. Those pipes which convey blood *from* the heart are called *arteries*, those which convey blood *to* the heart are called *veins*, and there is an intermediate or junction set called "*capillaries*," which are the smallest of all.

The upper chambers of the heart being the blood *receivers*, are connected with the veins.

These chambers lie side by side and are therefore right and left, two large veins open into the right and two into the left. In like manner the two lower chambers, being *dischargers* of blood, are connected with arteries, one artery passing from each, and the lower chambers are also placed right and left. The right upper chamber communicates with the lower chamber of the same side by an opening in the partition. This opening is guarded by valves, which prevent blood passing backwards after it has once entered the lower chamber. Precisely the same arrangement is seen in the left side. The veins which pour their blood into the right upper chamber have drained blood from every part of the body ; this blood is dark red, and impure ; it passes downwards from the right upper chamber to the lower, and is prevented from returning by the valves. It is then forced by the muscle of the heart out of the right lower chamber into a lung artery, this lung artery divides into two, one branch going to each lung. In the lungs the blood is purified, and it comes back by veins bright and red to the left upper chamber of the heart. It then passes to the left lower chamber, which forces it into a great artery called the "*aorta*." This artery breaks up into many branches, which carry the pure healthy blood to every part of the body.

The blood is purified in the lungs.

When a vein is opened, dark-red blood flows in a continuous stream from it ; but when an artery is wounded, bright-red blood squirts out with every pulsation of the heart, for while the flow

Bleeding from arteries and veins different.

in the veins is slow and constant, in the arteries it is quick and jerky.

The structure of the lungs.

The healthy lung resembles a sponge, for it can be squeezed into small bulk and when pressure is removed it expands.

Clusters of air-cells resemble clusters of grapes.

The chief cause of the expansion is elasticity, and this elasticity is mainly due to a peculiar structure which is only seen in the lungs, and which consists in the grouping together in clusters (like grapes) of extremely minute air-cells which are elastic. These air-cells are connected with the wind-pipe, and when air is breathed it rushes in to all the air-cells. Now, over the surface of the air-cells run very small arteries carrying impure blood, the air and the blood make an exchange, the air gives oxygen gas to the blood, and blood gives carbonic acid gas to the air.

How the blood is purified in the lungs.

The necessity for thorough ventilation.

Fresh air contains a large supply of oxygen gas ; respired air is impure, for it contains a poisonous quantity of carbonic acid gas. Thorough ventilation admits a plentiful supply of fresh air, and expels an equal quantity of bad air. It is therefore important to secure free movements of air—of fresh inwards, and impure outwards. In this way only can the lungs be well supplied, and do their work thoroughly.

As the chest rises the lungs expand and fill with air, as it falls they contract and expel air. The lungs in order to work their best must expand well, and therefore not only must the chest rise well but there must be no choking up of air tubes or air-cells.

The circulation and respiration are intimately connected.

Here then is the plan of the circulation and the respiration, for these cannot well be considered separately. The great centre of the circulation is the *Heart*, the great centre of the respiration is the *Lungs*.

Two circulations, a "lung circulation and a body circulation."

Every drop of blood is pumped out of the heart twice, for once that it flows through the body. Where does it go the second time? It goes to the lungs to be purified. We have therefore to distinguish two circulations, a *lung circulation* and a *body circulation*. If we follow the blood from the heart where it flows into the aorta and trace it passing from larger into smaller arteries, thence into capillaries and then into veins, we will find that as it flows along, it distributes nourishment, and in exchange for the nourishment it drains away waste matter from the various organs through which it flows. In proportion as it receives does it give forth nourishment, but having reached the veins its supply is ex-

hausted, the bright red colour is gone, it is loaded with waste, and therefore impure.

The blood which has left the heart pure, therefore comes back impure ; the oxygen which it took from the lungs is given to the body to maintain life ; the carbonic acid taken from the body must be carried to the lungs to be thrown off at every breath. Therefore it leaves the heart a second time and passes into the lung circulation, and if we follow it there, we find that it becomes purified by taking up oxygen from the fresh air, and throwing off a great deal of its waste matter which is breathed into the outer air by the lungs. It then returns to the heart, and is now fresh for nourishing the body again. It does not derive all its nourishment from the lungs, nor does it give all its waste to them, but this will be explained by-and-by. You will therefore understand that there are two distinct and separate streams of blood in the body, a short circular stream between the heart and lungs called the *lung circulation*, and a longer stream and wider circle called the *body circulation*.

The circulation is to the body both a "feeding system and a drainage system."

We must now inquire whether the heart alone is sufficient to keep up this perpetual circulation of blood day and night.

Is a pump all that is required? Our answer is No. Although the heart is as necessary for the circulation as our limbs are for movement, it requires to be assisted, and could not do its work without assistance. The heart is the force which sends the blood out of the heart, but muscular exercise and bodily vigour must help it back again. If the heart receives blood slowly and feebly it must pour out blood slowly and feebly, and thus the circulation loses its vigour and the body is not well nourished. Three things are necessary for a vigorous healthy circulation : First, a *sound heart and vessels*. Second, *vigorous functions in every organ, especially in the lungs*. Third, *muscular exercise*.

The heart cannot do its work without assistance from lungs, muscles, &c.

Let us now consider the state of the circulation as we may observe it in our Patients, and in order to understand the differences that are seen in different Patients, let us consider the pulse. Every volume of blood pumped by the heart into the arteries produces a pulse, so that for every heart beat we should have a pulse beat. The pulse is therefore a valuable guide to the study of the circulation ; it enables us to judge how the heart does its work, whether it pumps too slowly or too quickly, whether it is strong or

The pulse, how it is produced, its value as a guide to know how the heart and circulation work.

weak, steady or unsteady. The average pulse for a man is 70 ; for a woman 80.

Signs of feeble  
circulation  
observed in  
asylums

Feeble cir-  
culation may  
be due to the  
mental con-  
dition, weak  
health, heart  
disease, or old  
age.

If you examine your Patients carefully you will find that some have small, languid or intermitting pulses, cold, blue, and swollen hands and feet. These are signs of a feeble circulation ; and, as you might expect, there is no vigour in their systems, the respiration is shallow and feeble, the muscles are idle—everything that makes a vigorous circulation is wanting. Rub that Patient all over and observe how the skin glows, how warmth comes to the surface, and how the pulse gains force ; or put him in bed and you find that the circulation improves, because there is less obstruction to it when lying down. Again, give him half an hour's vigorous exercise so that every muscle comes into play and propels the blood along the veins towards the heart, and you get the same result : the circulation quickens, the body calls out for more nourishment, the brain is wakened up, and the Patient's whole condition is very much improved. But your Patient may have been excited and gone through much exercise ; he has not had enough of food, nor enough of sleep ; his heart is faint, and his breath short from sheer exhaustion ; his circulation is feeble and he needs rest in bed. He may be old and feeble, or suffering from heart disease, and therefore unable for vigorous exercise, as his heart cannot stand the strain. The Doctor will direct in these cases what is best for him.

Signs of feeble  
Respiration or  
lung disease.

The causes of  
lung disease.

You will frequently observe how shallow the respiration is, and how blue or grey the face, hands and feet appear. You will observe sometimes a bright red spot on each cheek, a cough, a spit, a shortness of breath, a wasting of the body, pain in the chest and night sweats. These you will do well to notice and report, they usually mean disease of the organs of respiration. There may be merely a feebleness of respiration, just as there is a feebleness of circulation, because of the stupor of mind into which a Patient has fallen, and you will be told that your Patient wants rousing and muscular exercise. But there are cases also of actual lung disease, and such diseases are common in Asylums ; they may be due to bad ventilation, to cold and damp, insufficient exercise when out in the open air, sitting exposed to cold biting winds or lying on damp grass, or against wet supports, especially after perspiring. Lung diseases are especially apt to attack miners, masons, and

persons who work in a dusty atmosphere, or people who are confined all day long in unhealthy rooms, or in a stooping posture, and who therefore do not get a sufficiency of pure air, and free play for the lungs. The insane are very liable to lung diseases for some of these reasons. Patients who are in delicate health, who have narrow chests, very little fat, and feeble circulations, should be specially guarded against the risks of lung disease. Two duties here devolve on you. First, prevention is better than cure, therefore protect your Patient from the causes of lung disease, or better still prevent or remove the causes if possible. Second, be on the look out for symptoms and report them at once.

Prevention is better than cure.

Symptoms should be observed early and reported.

## NUTRITION.

The exercise of the bodily functions is accompanied by wear and tear, and requires to be sustained by nourishment. Thus the body is the seat of two opposite processes which ought to balance each other : the one is *waste*, the other is *repair*.

While we live we waste and undergo repair.

Idleness means *rust* and *decay*, work means *wear* and *tear* ; so that in every case the body loses substance, and the harder it works it loses the more. It lives and labours at a sacrifice of itself ; for every tissue while it lives consumes, and is fed with fresh fuel. This burning is the cause of the heat of the body. As the intensity of the fire, so is the temperature, and to reason upside down, as the temperature so is the burning or waste. A high temperature therefore means increased waste and proves the necessity for extra repair. Every organ, every muscle, every tissue, has its ash or waste, and these ashes require to be collected and drained away by the circulation, so that the working of the system may not be clogged and thrown out of gear.

Every organ and tissue is a small furnace and contributes its share to the heat of the body.

The circulation is the drainage system, and it empties the refuse in three ways : into the lungs, the sweat-glands, and the kidneys. The lungs expire it, the sweat-glands perspire it, and the kidneys flush it as urine into the bladder, thence to be passed at intervals. Hence the advantage of free and easy respiration, of a clean healthy skin, and a proper discharge of urine, all of which ought to be seen to by Attendants.

The circulation collects and discharges the refuse.

The food we eat is the raw material out of which repairs are executed. In order to render the process easier it is first cooked,

and being introduced into the mouth the machinery of repairs is set in motion.

Repairs proceed by stages, (1) chewing and swallowing, (2) digestion, (3) absorption or straining, (4) assimilation or conversion.

Repairs are executed in four stages, the first is *chewing* and *swallowing*. The mouth is the mill which grinds the food and softens it into pulp. The smaller it grinds and the moister the pulp, the easier will the food digest. In this stage *five* things are necessary if the mill is to work well: these are a good array of teeth, busy jaws, abundance of saliva, plenty of time, and a healthy swallowing apparatus. The second stage is *digestion*, which is carried on in the mouth, stomach, and bowels. Digestion is performed by *five* juices, which attack the food, each in turn as it is propelled along, until at last it is very finely divided and so altered in chemical character, as to be easily absorbed and fit for nourishing the body. The digestive juices are (1) the *saliva*, which acts on the starchy foods; (2) the *gastric* or *stomach juice*, digesting such things as white of egg, lean meat and other albumens; (3) the *bile*, which enters the bowel by a passage from the liver and reduces fats to a state fit for absorption; (4) the *pancreatic juice* which enters the bowel by a passage from the pancreas (or sweetbread), and acts on albumens, changes starch into sugar, and reduces fats to a state fit for absorption, (5) the *intestinal* or *bowel juice*, which acts on the food in a way similar to the pancreatic juice. These juices are prepared in little pouches called secreting glands, which extract from the blood the material necessary for the manufacture of the juices.

Six things necessary for a good digestion.

After the food is swallowed, we find it in the stomach, and the gastric juice playing over it. The stomach is kept in unperceived motion, for it is a muscular bag, so that every particle of food is rolled about, and freely exposed to the action of the juice, which having finished its work, the food passes into the bowel to be subjected to a further process of digestion. Six things are necessary for a good digestion; (1) the food must be finely divided and soaked with saliva; (2) the muscular movements of the food passages (mouth, gullet, stomach, and bowels), must be active and ready at call; (3) the blood must abundantly supply the secreting glands which manufacture digestive juices, and therefore the circulation must be rich and vigorous; (4) the secreting glands must prepare an abundance of juice, but they cannot do this if the stomach is disordered and their function sluggish; (5) the body must rest before and after meals; (6) the mind should be tranquil,

and the Patient should, as far as possible, have bright and cheerful surroundings.

Next comes the stage of *absorption* or *straining*. The digested food is strained through the lining of the stomach and bowels, taken up by the blood vessels and carried into the circulation. The undigested food and other refuse are expelled from the bowels as stools or *fæces*. The fourth and last is the stage of *assimilation* or *conversion*, or in other words, the taking from the blood of particles of nourishment to repair waste places in the organs or tissues of the body. These particles become converted into part and parcel of the tissue itself, and are, therefore, said to be assimilated or made similar to the rest of the tissue.

The process  
of absorp-  
tion.

The stage of  
assimilation.

A word may conveniently be inserted here respecting the *appetite*, a most important matter for us to consider, as it is often an index of good digestion. Indeed there is no necessity for a good digestion if there is nothing to digest, and there will of course be nothing to digest unless the Patient feeds.

The appetite:  
its impor-  
tance.

The appetite is influenced by the state of the mind as well as by the state of the body. You scarcely require to be told that grief paralyses the appetite, that joy or excitement is apt to create a hasty impulsive appetite that bolts food, half chewed and difficult of digestion, into the stomach. Some are over-greedy, others are small and dainty of appetite. A few cannot eat at all if distracted by the presence of other Patients. Some prefer to eat out of sight, and others cannot eat if they are hurried at meals. We must not forget that delusions may have a bad effect on the appetite, a Patient may be hungry and yet refuse food believing that it is poisoned, or he may refuse food from the belief that he has no stomach at all. If we now turn to examine the bodily causes of want of appetite, we shall find that they are equally numerous. As examples, we would mention lack of energy, and of open air exercise, sluggish liver and bowels, and disorders of the stomach. Enough has been said to prove the importance of studying the appetite and searching carefully for the causes of want of appetite.

It is in-  
fluenced by  
the state of  
the mind as  
well as the  
state of the  
body.

*Sleep* has been well described as "closing for repairs." A ship while sailing is more or less undergoing small repairs; but in order to receive a thorough overhaul she requires "to lay up." So is it with our bodies. While we are awake and active, repairs are going on, but the supply soon falls short of the demand, and

Sleep is a  
"closing for  
repairs,"  
the body  
requires to  
"lay up" at  
regular  
intervals.

the body requires to lay up when night comes, so as to make good the deficiency in time for the next day's work. During sleep the body rests from its labours ; the brain ceases to think, feel, and will ; the muscles and nerves rest themselves, and the circulation, respiration, and digestion, "take it easy." And now repairs go on more quickly, gaining ground on the ravages of the day, until man rises from his slumbers in good repair, fresh for new work and another voyage. Sleep is clearly a necessity of life. No man can afford to neglect it, and all will do well by attention to nature's laws, to secure a needful supply of it.

Practical  
lessons.

Sleep is encouraged by exercise in the open air, the old proverb is worth remembering :

" After dinner rest a while,  
After supper walk a mile."

The body is a  
bank account  
of waste and  
repair.

It is also encouraged by regular hours, quietness, calmness of mind, a cool airy bed-room, and a comfortable bed, &c.

A man cannot  
afford to be  
miserly or  
profligate  
with his  
bodily  
substance.

A man's body then is simply a bank account of loss and gain, of waste and repair. The more he takes out of himself, the less he has to spare, and the more he requires to make up. But a man must not be a miser with his substance, he must not go on feeding full time, and only working half or quarter time. Nor, on the other hand, must he be profligate, working double-tides, and only patching his repairs.

He may waste  
too much or  
too little.

Every organ must have reasonable exercise, and waste and repair should regulate each other. We are here again face to face with our duties to the insane ; for many of them have overdrawn their bank account, and we must try to recover the balance.

A great deal lies in our power to remedy this state of matters. The risk of death from exhaustion is often great, and sound refreshing sleep and frequent meals are absolutely necessary to tide over the crisis.

How much  
Attendants  
can help in  
critical cases  
where exhaun-  
tion is  
threatened.

Appetite and sleep must be promoted ; and on Attendants carefully observing any causes which hinder these, and faithfully reporting them, as well as conscientiously carrying out the Doctor's orders, will depend the recovery of the Patient if it is at all possible. In dealing with Patients who waste quickly, the responsibility of the Attendant is increased ; but when every effort is put forth for the Patient, recovery is so often a certainty, that in the end the Attendant's satisfaction exceeds his responsibility. Here is placed

side by side a scale of waste and a scale of repair, which should be as carefully calculated as possible.

SCALE OF WASTE. (Signs of Increased waste.)	SCALE OF REPAIR. (Signs of Increased repair.)	Scale of waste and repair.
<ol style="list-style-type: none"> <li>1. Loss of weight and appetite.</li> <li>2. Excitement if severe or prolonged.</li> <li>3. Loss of sleep.</li> <li>4. Increase of temperature.</li> <li>5. Discharges, such as diarrhoea, vomiting, matter from sores, spit, &amp;c.</li> <li>6. Loss of blood.</li> </ol>	<ol style="list-style-type: none"> <li>1. Increase of weight and appetite.</li> <li>2. Excitement ceasing.</li> <li>3. Sleep gaining ground.</li> <li>4. Temperature reduced.</li> <li>5. Arrest of discharges.</li> <li>6. Arrest of bleeding.</li> </ol>	

### THINGS TO BE SPECIALLY OBSERVED.

Two may differ as to what a good meal is, but a plate of porridge is always a plate of porridge, and a pint of custard is always a pint of custard. A man may not seem to be gaining or losing weight, but the steelyard will tell to a pound yes or no. We do not always know what an Attendant means by a good sleep, but we know what "seven hours" mean. The habit of careful observation and statement must go into other details as well.

Loose statements to be avoided by Attendants in reporting observations. Details to be inquired for and communicated.

(1) The appetite. Various causes affect it, and these should be carefully looked for. The association with other Patients sometimes worries or excites, so as to paralyse appetite.

(1) of the Appetite.

Some Patients appear never to miss a meal, and yet, having appetites little better than a bird's, are too easily satisfied. Others are slow or timid, and hurry over their meals when they are served by an Attendant, whose whole thought is to clear the table with the greatest possible despatch.

An observant Attendant will distinguish between the Patient who eats till he is sick, and the Patient who works hard and requires an extra allowance. Lastly, great care and patience are required with those who have few or bad teeth, epileptics, paralytics, and those who "bolt" their food. These should never be

hurried, and their food should be cut small to make digestion easy, and to prevent choking.

Refusal of food may be the outcome of delusions, and Attendants should find out whether such a cause exists. If so, it ought to be reported. Perverted appetite is illustrated in the case of those who eat filth, rags, pig's meat, gravel, &c. Such cases call for constant observation, and should be immediately reported.

(2) of the  
digestion.

(2) Digestion. The appetite itself is often a sign of good digestion, but among the insane it often exceeds the digestive powers. If digestion is disordered, signs will be observed, and ought to be reported, especially abstinence from food. Such are foul breath (which may also be due to other causes), a foul tongue, bitter taste, vomiting, pain or fulness in the region of the stomach, heart-burn, wind, waterbrash, headache, &c.

(3) of the  
bowels

(3) The bowels. Their condition should be daily observed, and the Attendant should not be satisfied with merely noting that a Patient goes to the closet, he should observe whether he has a stool or not, and how often, whether it is abundant, easy or difficult, watery or hard, light, dark, or bloody, and whether there is present any indigestible or undigested matter, buttons, coins, &c., and whether there are worms. Lastly, Patients who suffer from rupture require always to be easy in their bowels, else death may ensue after a few hours' notice, or a serious surgical operation be necessary. The mental condition is often affected by the state of the bowels, and among the insane, careful attention in this respect is necessary.

(4) of the  
urine.

(4) The urine may not be passed often enough, or it may come too often, it may be abundant or scanty, pale, high coloured, or bloody, or its flow may be attended with difficulty or pain. If the urine is not voided for 24 hours or more, the Patient's condition becomes serious till relief is obtained. It is to be noticed that paralysed patients may suffer from such retention, and Patients likewise who are in a state of stupor.

(5) of the  
skin.

(5) The skin should be noticed when bathing is being conducted. Observe whether dry, or moist, or bathed in perspiration, and at what times. Examine for lice, eruptions, sores, or marks of injury.

From what has now been said, other hints may be suggested to you which, in the course of your experience, can be acted on. Enough has been stated to enlarge your knowledge, and to

quicken your intelligence. Act up to it and you will learn more, and, greatest comfort of all, you will immensely benefit the Patients under your charge.

## THE NERVOUS SYSTEM.

We now pass on to the nervous system, the chief parts of which, as already stated, are enclosed within the skull and back-bone. The brain lies in the top and back parts of the head, and connected with it is the spinal cord which lies in the back-bone. From them proceed nerves which branch in all directions into the organs and through the tissues, and in this way the brain and cord are brought into intimate relation with all parts of the body. The nervous system is therefore as far reaching as the circulation, and its influence is everywhere manifest. It is composed of three materials—grey matter, white matter, and cement substance. In the brain the grey matter forms the outer layer, and encloses the white matter through which are scattered clusters of grey matter. The grey matter consists of small nerve cells, and the white of nerve threads which communicate with the nerve cells. The cells and threads are embedded in cement substance, which is soft and yielding, and yet acts as a protective to the nerve structure. In the spinal cord the composition is similar, but the grey matter is in the inside, and the white matter on the outside. The fibres which branch from the cord and brain consist merely of nerve threads enclosed in protecting sheaths. The whole nervous system is well supplied with blood-vessels, which are more numerous in the grey than in the white matter.

The functions of the nervous system bear a resemblance to the operations of the telegraph system.

The grey skin of the brain may be compared to a great city, the headquarters of the telegraph system, and the grey clusters scattered through the white substance of the brain are the suburbs of the city, the grey clusters of the spinal cord are the towns, and the points of skin, muscle, organs, &c., where nerve fibres end, are the villages. The nerve fibres connect villages, towns, suburbs, and the great city with one another; for no station can exist without a connection. The fibres are of three kinds: *first*, inward messengers; *second*, outward messengers; *third*, internal messengers.

The Nervous System.

The position of the Brain and Spinal Cord.

The Nervous System has wide spreading branches.

The materials which compose it.

Its functions resemble those of the telegraph system.

Three kinds of Nerve Fibres.

Examples of  
how the  
Nervous  
System  
operates.

Inward messengers may pass from any surface or organ of the body to the cord, or to the brain. Outward messengers emerge from the brain and cord and pass outward in many directions, but they chiefly supply muscular tissue and cause movements. Internal messengers carry messages between the brain and its suburbs or the cord, or between different stations within the city itself. The nervous system operates in a variety of ways of which the following are examples : (1) If the skin is pricked, the nearest village at once sends a message by an inward messenger to the brain, and the message is immediately registered as we at once become conscious of the sensation. The messenger so exercised is called a *sensory nerve*. (2) When the brain wills to move a muscle, a message is sent outwards to the muscle, and at once the muscle contracts. The messenger so employed is called a *motor nerve*. (3) Various operations of the mind take place within the brain independently of these ingoing and outgoing messengers ; and these operations consist of communications between centres within the brain itself, and are conducted along *internal nerves*. (4) When the foot is tickled, the nearest nerve terminus sends a message to one of the grey centres (towns) of the cord, and this centre sends back a message to the muscle of the leg to draw away the foot. In this case the communication is only a half-way communication, and the mind may be quite unconscious of it, and because it is sent back in the direction from which it came it is called reflex (thrown back), and this kind of nervous action is called reflex action. These examples illustrate some of the principal functions of the nervous system, but there are nerve currents of other kinds besides these which are chiefly varieties of reflex action. To these four, however, we will do well to pay some further attention.

(1) The func-  
tions of  
Sensation.

Sensations are the result of messages conducted by the sensory nerves to the brain, and they vary in kind according to the impression applied to the nerve ends. An impression of the finger excites a sensation of touch ; a warm bottle to the feet sends a sensation of warmth ; a mustard blister a sensation of burning ; a lump of ice applied to the skin sends a sensation of cold ; and a prick by a needle a sensation of pain. The skin, as you know, is very sensitive, and the reason is this, that it is crowded by nerves which connect it with the cord and the brain, and collect impressions for the information of the brain. In this way we

feel changes of heat and cold, comfort and discomfort, cramps and pains ; and not only so, but we can put our finger on the spot where the feeling comes from. It is easy to understand therefore that sensation can be prevented in three ways : (1) By destroying or separating the skin so that it ceases to conduct an impression. (2) By disease or injury of the sensory nerves. (3) By disease or injury of the brain. To make sensation perfect, these three links of the chain must be joined together, and be free from disease or injury.

Motor nerves convey messages from the brain to the muscles, which contract in consequence. The nerves receive their impression from the will, and respond accordingly. If the will is paralysed, the motor nerves receive no impressions and the muscles are not called into action. If the nerves are diseased or injured, the will and the muscles are of no avail ; and if the muscles are destroyed or disconnected from the nerve, muscular movement is equally impossible. Hence the necessity for an unbroken line of connection in good repair. When the connection is complete and healthy, the will has at its command about five hundred muscles which are arranged in groups according to the movements which they are designed to execute. These movements are numerous, and of endless variety, and include the delicate and difficult movements of speech and writing, as well as the coarser movements of walking, wrestling, swimming, &c. Running side by side, therefore, are two sets of nerves the one sensory, and the other motor, the one conducting impressions to the brain, the other conducting impressions from the brain.

(2) The Motor functions.

But within the brain itself there is a third set of nerves which begin where sensation ceases, and the mind comes into operation. These are the internal nerves, and their function is to conduct messages within the brain from one centre to another, messages of memory, of thought and feeling.

The function of mind and the functions of internal nerves and cells.

The internal nerves and the nerve cells of the mind connect with each other so as to form a network, which, while we are awake or dreaming, is in a state of busy activity, telegraphing ideas from cell to cell.

In proportion as this network becomes broken or weakened does the mind fail in its functions ; the snapping of a few fibres, the sickening of a few cells, makes a serious difference ; and because of the delicacy of it, the structure requires constant repair and

careful preservation. The internal nerves, and the brain cells which they connect, vary in number in different brains. In the idiot and the imbecile they are less numerous, and their number is greater in the brains of more perfect development.

**Reflex functions.**

Reflex action is a most important function of the nervous system. It is independent of consciousness, and for this reason is applied to regulate functions which, if left to our own will and guidance, would be imperfectly performed and frequently forgotten. The will is not concerned with the movements of the heart and lungs; the function of digestion it is scarcely responsible for; and the drainage of the human system has no direct relation to consciousness or will. Reflex action alone is the responsible mainspring of these functions. When food enters the mouth, saliva flows over it; when it enters the stomach, gastric juice is poured forth. The preparation and the flow of these juices is not intrusted to the will, but rather to a simple and self-acting nervous arrangement, which is excited by the mildest friction, and which in turn calls into activity the juices. The respiration, the circulation, and other necessary functions of life are regulated in a similar way. The withdrawal of the foot when its sole is tickled, the winking of the eyelids when the hand is quickly drawn across the face, and the contraction of the pupil when light is thrown into the eye, are other and more familiar varieties of reflex action which must serve to complete our description.

**Disorders of Sensation.**

With these four functions affected by disease we can easily understand how helpless a man becomes. Any one may be alone disordered or paralysed, but it is usual in serious cases to find more than one involved. Of sensation the most common affections are neuralgia (pain in a nerve), and hysteria. Pain of any kind is the result of disease or injury in the path of a nerve, or at either end of it. A nerve end irritated by a diseased tooth, and inflammation alongside a nerve, are examples of this.

But sensation may be abolished, and this is sometimes found in hysteria, with paralysis of motion, and more or less in epileptic and apoplectic seizures. The sensibility of many insane Patients to pain is more or less impaired, and some are known to derive pleasure rather than pain from acts of self-injury such as chopping fingers, lacerating the skin, and extracting teeth, which to others would simply be torture.

When muscular action is arrested or difficult, when it occurs in spasms or quick successive jerks, and when it is manifest in trembling in place of steady movements of the hands, the tongue, or lips, we know that the motor system is somewhere affected. The seat of disease is sometimes in the cord, but usually in the brain at the starting point of the motor nerves.

Disorders of  
the  
Motor System.

The nature of the disease varies, and the symptoms differ accordingly. These may be of the character of paralysis of arm or leg, or both, dumb palsy, shaking palsy, St. Vitus' Dance, epilepsy, etc. In General Paralysis of the insane we see first the motor excitement, trembling of the tongue, lips and muscles of the face, the trembling of the hands, and the muscular restlessness of the Patient. By-and-bye the disease visibly advances, the trembling and restless movements cease, and with the further progress of the malady, complete paralysis and incapacity of movement signify the last stage of all. When a Patient is seized with a paralytic stroke the power of movement is more or less completely lost, and yet the disease may only affect a very limited portion of the brain. In this case the telegraph station which sends out messages to the muscles is destroyed, and notwithstanding that the muscles and motor nerves still remain healthy, the messages on which they depend for their activity can no longer be produced.

When the internal nerves and their connecting brain cells become the subjects of disease, the mind soon tells its own story. The connection of the brain by means of nerves with the whole anatomy of the body, and its sensitiveness to all impressions of bodily disease, render its mental functions liable to disturbances, which may be slight and fleeting, or serious and more lasting. But in addition, its own diseases or disorders depend largely on the bodily health, and add also to the risks of mental diseases. The laws of health should be carefully observed, not only in the interest of the body, but still more so of the mind, which is affected for good or evil by the bodily health. The nature of mental disorders, and how to manage them, are subjects of consideration so important as to require a chapter to themselves, and your attention will be specially called to them later on.

Derangement  
of the  
internal net-  
work of  
nerves and  
cells means  
affection of  
mind.

We have now to consider that reflex functions may also be altered by disease. They may be quickened as when the soles of the feet are easily tickled, when sneezing or vomiting is easily excited, or when teething or worms cause convulsions in a child.

Disorders of  
reflex  
functions.

On the other hand, the reflex functions may be paralysed as you see in the last stage of paralysis, where swallowing is difficult and there is risk of choking, where the Patient becomes of wet and dirty habits, because of his inability to retain urine or stools, and where the feet do not respond to tickling.

The special senses or "gateways of knowledge."

Our observation of the nervous system proceeds one stage further and there it ends. We have looked upon the nervous system as the groundwork of self-acting reflex functions, as the mainspring of muscular movements, as a medium of sensation, and as the organ of the mind. As a medium of sensation it contributes knowledge, and in this respect is a feeder of the mind ; but we have yet to reflect on other paths of sensation, which take a higher position as mind feeders, and are most essential to the growth and development of the mental functions. These are the special senses, popularly known as the Gateways of Knowledge. Their names are sight, hearing, taste, smell, and touch.

The sense of sight.

The eyeball is the organ of sight and possesses its lenses, chambers, refracting media, muscles and nerves all specially constructed and arranged for the purpose of bringing to a focus rays of light reflected from any object, which is thus photographed in the eye, and the result transmitted along a nerve to the brain. Thus pictures of all we see are photographed in the brain so that the mind can think and act regarding them. A slight derangement in the apparatus, whether in the eye, the nerve, or the brain, disturbs the functions more or less seriously ; for, as with the other nervous functions, the whole line must be in good repair.

The sense of hearing.

The ear is the organ of hearing, and its construction is extremely delicate, and specially designed for the collecting and conveying sound-waves, and for the perception of the nature and direction of sounds. A special nerve passes from it to the brain, conveying the impressions found in the ear, and in this way the brain registers sounds, distinguishes their character, and determines the direction whence they come. The nature of the sounds varies with the volume of the sound-waves and the rapidity with which they succeed each other when striking upon the ear.

The other special senses.

The apparatus for taste, smell, and touch, is the same as the preceding in general design, but the construction of the end organ is simpler, and it can only be seen under the microscope. The senses of taste and smell resemble each other in much the same way as do the senses of hearing and sight. Impressions of hearing

and sight are produced by waves of sound and light, impressions of taste and smell by invisible particles touching the end organ. The smell of a drug for example is excited by a delicate vapour, the particles of which touch upon and stimulate the end organ of smell. The sense of touch is communicated from all parts of the body, and has end organs of special and simple construction in the skin. These have their corresponding nerves which all converge to the brain and conduct messages thither.

Each sense then has its own peculiar apparatus, and its respective function. Each is an observatory for the brain; and all combined contribute the sum of knowledge necessary for the full development and the proper exercise of mind. When their functions are disordered so as to affect the mind, a serious form of insanity appears, and you will be told of it in the chapter on mental diseases. But we may here consider how a man's mental condition is affected not by disease, but by the absence of one or more senses. If a man is born blind, what can he know of colour and expression? if he is born deaf, what can he understand of sound or music? Without the senses, what can a man know or learn, or what communication can he hold with other minds?

The senses are observatories of the brain.

The helplessness of man without them.

Yet there are surprising and gratifying instances of the loss of one or two senses stimulating the Patient to the better exercise of those which remain. The blind man finds a welcome compensation in the quickness of his sense of touch, in the increasing acuteness of his sense of hearing, and in the new uses which he may find for the senses of taste and smell. One gateway of knowledge is closed; but he is no longer disconsolate when he learns how much more helpful the others are than they were before. In the wards of our asylums there is no more encouraging feature in the experience of Attendants than to see the idiot, born blind or deaf, increasing his knowledge, his pleasures, and usefulness, and making the best of his small brain and few senses, under the painstaking care and judicious aid of those whose duty it is to lighten his burdens and brighten his existence.

The education of remaining senses to make up for any that are lost or wanting.

How much can be done in this way by Asylum Attendants.

## CHAPTER II.

### THE NURSING OF THE SICK.

MOST Asylums contain wards set apart for the accommodation of Patients in more than usually feeble bodily health. The sick and infirm persons in such wards naturally require more careful attention to their wants and symptoms than do those Patients that enjoy comparatively good bodily health, and the wards and rooms in which they are placed also require to be kept even more than usually clean, orderly, and quiet. These wards must be looked on as most important, and the position of the Attendants in charge of them is both difficult and honourable.

All Attendants should acquire, as soon as possible, some knowledge of sick nursing, as any one of them is liable to be called on to perform this special and important duty.

In this section of the handbook, a few plain directions are given to aid Attendants in carrying out the orders of the Medical Officers regarding the sick.

### SICK-ROOMS.

Special care must be taken to keep those rooms in which Patients are confined to bed in proper order.

**Ventilation.** A full supply of fresh air is specially necessary in sick-rooms; for the sick, on the one hand, destroy the air more rapidly than do those in health, and, on the other hand, an abundant supply of pure air is necessary to aid recovery in many cases. The breath from Patients suffering from lung diseases, the discharges from sores, the unhealthy perspiration of the sick, and the odours arising, in spite of constant attention, from those of wet and dirty habits, all tend to make the air foul; while specially pure air has to be supplied to those whose powers of circulation and of respiration are feeble, who are unable to stimulate these functions by exercise, and whose lungs may be, through disease, only partially available for their proper functions.

The purity of the air is to be secured, in the first place, by the prevention, as far as possible, of the causes of bad smells, by strictly attending to cleanliness, and the removing at once of all discharges, dressings, soiled linen, &c. ; and, in the second place, by the admission of fresh air in proper quantity, by attention to windows, doors, chimneys, and any special apparatus for ventilation that may be provided.

The windows may generally be kept partially opened. A number of windows opened a little is more useful and less draughty than one or two opened widely, and care must be taken in the opening of windows that no Patient is exposed to direct draught.

When there is a fire in the grate, a chimney forms a very good ventilator on account of the constant draught of air ascending it, as this draws a corresponding quantity of fresh air into the room to supply its place. When there is no fire in the grate, the damper with which most grates are provided should always be kept open ; a little soot falling from time to time shows that the chimney requires sweeping, but is no reason why ventilation through this channel is to be prevented by closing the flue. When special ventilators are provided, they should be carefully attended to.

An equable temperature, generally between 50 and 60 degrees, Temperature. should be kept up in sick-rooms both by day and night. The thermometers on the walls should be frequently referred to, to ascertain that this is the case. In some diseases, the keeping up of a special temperature night and day is a matter of life or death to the Patient.

In a sickroom, the light should be subdued but cheerful. Light. Sunshine should generally be allowed to enter freely, but not to stream on a Patient's face and cause discomfort. The window blinds require constant attention, as the sun shifts its position. No more gas should be used than is required for proper supervision, and attention to the wants of Patients. It is to be remembered that burning gas rapidly consumes the life-giving properties of the atmosphere, and its glare is apt to induce wakefulness.

The greatest cleanliness is necessary in every nook and corner Cleanliness. of a sick-room. The floors, &c., should be frequently cleaned. This should be done, however, with the use of as small a quantity of water as possible in those rooms where Patients are confined to bed, for a damp floor is dangerous to those lying in bed above it. All stools, discharges, dressings, and soiled linen should be at

once removed, and all plates, cups, medicine glasses, &c., kept clean and neatly arranged. It is not safe either for an Attendant or for the sick to be dirty, the hands especially always being washed before and after dressing wounds, &c.

**Quiet.** Any one who has suffered from even so mild an ailment as a slight headache, can appreciate the necessity of quiet in a sick-room. Loud talking, the wearing of heavy boots, clattering of plates, banging of doors, &c., are to be avoided.

**Cheerfulness.** Much may be done by a good Attendant, to make a sick-room and its occupants cheerful, by attention to the little wants of the Patients, by providing them with books and work when these are allowed, by talking with those inclined to conversation, and by attention to flowers, to the neat serving of food, orderly arrangement of bedclothes, &c.

### GENERAL DIRECTIONS REGARDING THE CARE OF THE SICK.

**Food, &c.** The meals of the sick should be carefully and neatly served. A capricious appetite may be tempted by a neat morsel served at the right time that might reject a half cold and slovenly served dish. All extra diet must be strictly adhered to. No sick Patient should be given anything to eat, but what has medical sanction. In some diseases, the life of a Patient may be seriously endangered by the administration of unsuitable food, given, though it may be, with a good-natured intention to humour or indulge him.

Friends visiting the sick often bring in cakes, fruit, &c. Such articles should be at once taken in charge by the Attendant, who should in no instance give them to the Patient without permission.

Sick persons, especially amongst the insane, are apt to refuse food, but, in many cases, by persuasion and patience, an Attendant can succeed in getting them to take it. Patients' tastes and fancies for or against various articles of food should be observed and reported.

**Beds.** All beds should be frequently aired, and should be as thoroughly made as possible every day, but no Patient suffering from serious bodily disease should be raised for this purpose without special

medical sanction. The bed-clothes should be neatly arranged, and kept drawn up near the chin of the Patient, who should be discouraged from keeping his arms out, and chest bare, unless these are protected by a flannel jacket or other extra covering. Many of the insane are constantly throwing off the bed-clothes. These require to be as frequently replaced. A Patient lying half covered presents an appearance of neglect and slovenly management, besides being exposed to danger from risk of catching cold. Some margin may be allowed for the fancy of individual Patients as regards the quantity of bed-clothing, but, in no case, is he to be allowed to become cold, an extra amount of bed-clothing being frequently required to keep the bodies of feeble sick persons properly warm. Cold feet are dangerous in all cases, and often cause great restlessness and sleeplessness in old feeble persons. When the feet are found to be cold, and they should frequently be felt to ascertain this, a properly protected hot-water vessel should be at once applied.

The undersheet is to be kept perfectly smooth and scrupulously free from crumbs, &c. Wrinkles in the sheet, and crumbs lying on it, give rise to great discomfort, and frequently cause troublesome bed sores.

A piece of waterproof sheeting should be placed next the mattress of all wet and dirty cases, in order to keep it clean. These sheets require frequent washing, and the mattress should be at once removed, if it absorbs any discharge through the displacement of the waterproof sheet.

As a rule, the sheets should be changed as often as they become wet or dirty, no matter how often this may occur. In some cases of paralysis or great weakness, the stools and urine are passed almost continuously, and the condition of the Patient renders the fatigue to him of frequent changing undesirable. In such cases, the *drawsheet* is of great service. A drawsheet is a sheet folded several times lengthwise: one sheet, thus folded, is passed beneath the loins of the patient, and above the usual undersheet. As one portion becomes soiled, a fresh portion is drawn gently beneath the Patient, while the soiled portion is folded up at his side. One sheet may thus serve several occasions, but it should always be removed when it becomes so much soiled as to be offensive. Various forms of urinals are used to receive the urine of Patients passing it unconsciously. These should be kept constantly in

position, and are to be frequently emptied, and kept scrupulously clean.

Waterbeds are frequently used. They should be filled with water somewhat below the temperature of the human body, as ascertained by thermometer, say 90 degrees.

Cleansing of  
sick Patients.

No Patient may be taken out of bed and placed in a bath without special orders. When a bath is given to a sick Patient, great care must be taken that he is warmly clad while going to and from it, that he is not exposed to draughts, and that all linen, &c., is ready, aired and warmed, so that no time may be lost in covering him again. Much may be done to keep the persons of patients lying in bed clean, by careful sponging. One limb should be sponged at a time, then the front of the body, and then the back. Each part thus sponged should be carefully dried before a fresh part is commenced with. Great care must be taken that the bed-linen does not become damp in the process. The face may in all cases, when there is no special disease of that part, such as erysipelas, be kept clean by tepid sponging. The eyelids require special attention to remove the matter that so frequently accumulates about them. In serious cases, the lips and mouth become dry and crusted. These crusts should be partly removed with a small stick covered at one end with soft lint and dipped in water. Special attention requires to be paid to keeping clean the private parts of paralytic Patients. The hair of the sick is very liable to become infested by lice, and requires increased attention. The nails also grow fast, and require frequent cutting.

The use of  
Disinfectants.

An Attendant cannot be too careful about disinfectants, and should carry out the instructions of the medical officers regarding their use to the very letter. They are frequently ordered in cases of infectious disease, and a neglect of their use cannot but cause danger to the Attendants themselves as well as to all others in the institution.

Keeping of  
Charts and  
Records.

In many cases of disease, charts are kept, showing the condition of the temperature, pulse, and respirations at certain times, and Attendants should learn to fill in these accurately and neatly. Other papers also are kept in some cases, on which are recorded the temperature of the room at stated intervals, the amount of food, drink, and stimulants taken, and at what hours, the amount of sleep obtained, the frequency of stools, of fits, of paroxysms of

coughing, &c. All entries on charts or records should be made at once, for experience shows that the best memory is not to be trusted on these points.

Attendants in charge of the sick will find it useful to keep a private note-book in which to enter, between each medical visit, any symptoms or matters of interest occurring in the patients that do not require to be immediately reported. Such a book, carefully kept, will prevent the danger of any symptom being forgotten, and in it may also conveniently be entered any fresh instructions regarding medicines, &c., given by the medical officers at each visit.

Attendants should be able to report intelligently regarding the symptoms of the sick under their charge to the medical officers at their visits.

Noting of  
Symptoms.

Among the principal subjects on which information may be asked, are the following :

*Appetite.* The amount of food taken. The mode of chewing, and of swallowing.

*Bowels.* How often moved, and at what times. Whether the stools are full or scanty, natural, costive, relaxed, watery, painful, bloody, or of peculiar colour or smell. Whether they contain foreign bodies sometimes swallowed by the insane, such as pebbles, buttons, &c. ; or contain worms, and of what kind the worms are, whether threadworms, roundworms, or tapeworms. Whether the Patient is attentive to the calls of nature, or wholly or partially neglectful in this respect.

*Urine.* How often passed, and in what quantity. Whether it is natural in colour, or unusually pale or dark. Whether it is clear or turbid, or contains blood, or matter, or gravel. Whether it remains clear, or deposits a sediment on standing, and the colour and quantity of this sediment. Whether it is passed easily, or with difficulty, or pain. Great attention should be paid to paralytic Patients, and indeed to all who are seriously ill, and to those recently admitted, and it should be at once reported if they do not pass water for some length of time, appear wishful but unable to pass it, or pass it constantly in a feeble trickle ; all these conditions showing that there is something very serious amiss.

*Conditions peculiar to women.* These conditions are to be the subject of frequent report by the Nurses.

*Cough and Expectoration.* The frequency of the cough, and

its character, whether slight or severe, dry, or accompanied by spit, &c. The character of the spit, whether clear or opaque, tinged with blood, or dark-cloured.

The spit, and all unnatural motions and discharges, should be preserved for inspection at each medical visit.

*Other important symptoms* are vomiting, attacks of shivering, bleeding at the nose, fits, attacks of faintness, &c. All these must be reported.

*Pain.* Any complaint of pain on the part of a Patient should be noticed and reported, and also, if a Patient appears to shrink, or complains of pain on any portion of the body being touched. All pressure on or interference with painful parts is to be avoided.

*Complaints* of pain or peculiar sensations must also be reported.

*Sleep.* How long, and at what times, whether peaceful or disturbed, whether light or profound. Unusually deep sleep with heavy breathing and a difficulty in arousing the Patient may indicate a dangerous condition.

*Effect of medicines and stimulants.* When medicines are given, the effect should be watched, especially in cases where sleeping draughts have been administered. When stimulants are given, it should be noted whether they appear to soothe or excite, to increase or diminish strength, to cause drowsiness or wakefulness, or be followed by flushing of the face.

*External appearances.* All bruises, eruptions, sores, swellings, distortion of limbs, or other unusual external appearances are to be reported, every opportunity being taken while Patients are changing their clothes to see that all is right in these respects.

## SPECIAL DUTIES.

### Taking Temperatures.

The normal *temperature* of the human body is 98·4 degrees. The temperature of a Patient is usually taken by placing a thermometer in the armpit. The index of the thermometer should be gently shaken down to 95 degrees before each observation. It should then be placed close to the skin with its bulb in the centre of the armpit, and the arm brought close to the side of the body. Care must be taken that the skin is dried, and that there is no clothing between it and the bulb. Ten minutes is usually long enough to leave the thermometer in, if the patient has been

well covered up beforehand. If not, he should be well clothed up to the chin for ten or fifteen minutes before it is inserted.

Temperatures are sometimes taken in the mouth, but Attendants should never attempt to do this in the case of insane Patients.

The average rate of the pulse is 70 to 75 beats a minute. Feeling the *pulse* is performed by placing the three first fingers of the right hand on the Patient's wrist, on its inner margin, just a little above the thumb. The pulse may be slow or fast, strong or feeble, regular or irregular, or intermittent. An Attendant should be able to count the number of beats a minute of a pulse, and be prepared to report roughly on its character, but a proper appreciation of its character can only be made by a medical man.

Feeling the  
Pulse.

As a rule an adult breathes about 17 times a minute. The respirations are counted by watching the movements of the chest—each rise and fall making together one respiration. This can generally be done without moving the Patient's clothes. While counting, it may be noted whether the breathing be regular or irregular, light or heavy, easy or painful, &c.

Counting  
Respirations.

*Cold dressings* are applied to wounds or sores, and are usually lotions or ointments, or of plain water. They should be changed regularly, and should always be replaced or renewed when removed or destroyed by a restless Patient. The old dressing should never be taken off until the new one is ready to be put on. Dressings are to be removed gently from both sides of the wound or sore at once, drawing it off towards the centre. The edges of the wounds and sores should be gently cleansed, but the surface should never be touched except with such applications as may be specially ordered. Any alterations in the appearance of the sores should be noted when the dressings are changed. Everything required for a dressing must be in readiness before the operation is commenced. The old dressing should be removed at once from the sick-room, and burned.

Cold  
Dressings.

*Wet compresses.* These consist of a roll of flannel or calico wrung out of cold water, applied to the part, and covered with waterproof. Wet compresses should be allowed to remain on continuously, and should not be renewed unless they become dry.

*Poultices* may be of bread, linseed meal, mustard, &c. Mustard poultices, though so named, are rather of the nature of a blister, and care must be taken not to let them remain on too long, for a

Poultices.

nasty sore may be the result. Other poultices, proper, should be applied as warm as can be borne, and should be frequently changed. A poultice applied all round the chest is called a Jacket Poultice. Jacket Poultices require frequent changing, the skin being gently wiped dry before each fresh one is put on. A cold jacket poultice is worse than useless, from the chill it may cause about the diseased organs.

**Fomentations.**

*Fomentations* are made by wringing flannels out of water as hot as can be borne. They should be applied to the skin at the part directed, and covered with waterproof to keep the heat from being lost by evaporation. They should not be allowed to get cold, but be renewed frequently during the time their application is directed. A material called Spongio-piline is frequently used for fomentations. It is a thick woollen material with a waterproof coating on one side. The hot water should be applied to the woollen side.

**Stupes.**

*Stupes* are fomentations with some external remedy, such as Spirits of Turpentine, poured on the surface that is to be placed next the skin.

**Enemas.**

When an *enema* is given, of whatever kind, whether of food, medicine, or purgative mixtures, &c., the amount ordered must be strictly adhered to. When a warm enema is administered, care must be taken that it is not too hot, not more than 90 degrees. The tube is to be oiled, and passed gently in a backward direction for two or three inches into the bowel with the right hand, while the patient lies on the left side with the knees drawn up. The injection should be very slowly and most gently administered, and its flow should be stopped at once if the patient shews any sign of distress. When the required quantity has been injected the tube is to be gradually and gently withdrawn, and the buttocks pressed together for a few minutes. Air must not be injected, and for this reason the syringe should be filled before the introduction of the nozzle.

Great care must be taken in using all warm applications, whether poultices, fomentations, or stupes, that they are not too hot, and the same caution is necessary in the case of enemas, and of food &c., given by the mouth.

**Suppositories.**

*Suppositories* should be gently passed up the bowel with the forefinger of the right hand for a distance of two inches, while the Patient lies on the left side with the knees drawn up. A little sweet oil on the suppository and on the finger facilitates the opera-

tion. Care should be taken to ascertain that a suppository is retained in the bowel.

Great difficulty is frequently experienced in teaching Patients to *gargle* properly. An Attendant may learn to do it himself, and thus teach them by gargling in their presence, and explaining how it is done. A Patient should always sit fairly up in bed before being allowed to gargle.

Gargles.

When *steaming* is ordered, care is necessary to see that the steam constantly strikes on the nose and mouth of the Patient, and that the steam is not too hot at that point. The moisture gathering on the face should be wiped off from time to time, and the pillow and upper part of the body and bed-clothes protected from the moisture by water-proof sheeting. When steaming is ordered, it must be constantly kept up for the time directed, otherwise it may do more harm than good.

Steaming and Inhalations.

Hot, tepid, and cold *baths* may be ordered medicinally. The temperature ordered must be strictly maintained during the whole time the Patient is in the bath. To ascertain this, a thermometer should be in constant use. Should any symptom of faintness come on while a Patient is in a bath, he should be at once removed and placed in bed.

Baths.

*Packing in the wet sheet* is thus performed:—The Patient is to be stripped, and the whole of his body wrapped in a sheet wrung out of water, which may be hot, tepid, or cold, according as may be ordered. He is then enveloped in a blanket, and laid on his side, in bed, on several thicknesses of blanket. A number of blankets are then placed over him, and carefully tucked in all round him and up to his chin. A Patient in the wet pack is not to be left on any account, but must be carefully watched during the time he is in it. When the time ordered has expired, the wet sheet is to be removed, and the Patient's body rapidly sponged with tepid water and dried. He is then to be placed in a well warmed bed, and carefully covered up.

The Wet Pack.

Cold or tepid *sponging* is sometimes ordered in cases of fever, &c. It is to be done while a Patient is in a bed protected by water-proof sheeting. As the cooling effect is desired in such cases, the body of the Patient should be exposed during the time the sponging is ordered to be continued. Should any symptom of faintness come on, the Patient should be at once dried, and removed to a warm bed.

Sponging.

**Administra-  
tion of Medi-  
cines.**

All *medicines* must be given regularly at the times and in the quantities ordered. It is well to shake all mixture bottles before pouring out the required dose, even if this direction is not specially given on the label. The label of directions must be read each time before the medicine is given, and the quantity ordered carefully measured into a clean glass. In giving pills, care must be taken to see that they are really swallowed by a Patient. Should any Patient refuse medicine, this fact should be carefully reported.

**Forcible Feed-  
ing.**

When a Patient refuses food, much may be done by Attendants by means of gentle persuasion with some, and by a firm but kind manner with others. Beyond this, an Attendant should never go. No apparatus for forcible feeding may be employed by any other than a medical officer under any pretext whatever.

Great care is necessary in feeding paralytics, delirious Patients and those who are unconscious or dying. The quantity given at a time should be very small, and it must be ascertained that one spoonful has been swallowed before another is placed in the mouth. No Paralytic or Epileptic Patient should eat alone.

**Bandaging.**

Of *Bandaging*, little can be learned from a book. In bandaging a limb, the bandage should be carried with a gradually decreasing pressure from below upwards. Any complaint or appearance of a bandage being too tight should be at once attended to, and the bandage loosened without loss of time.

## EMERGENCIES.

**Fainting.**

In any case of faintness, the Patient should at once be placed on his back, the clothing about the neck should be loosened and the chest bared, while fresh air is freely admitted. The face and chest should then be flicked with the end of a towel dipped in cold water, while warmth is applied to the feet and limbs by means of hot water vessels and heated flannels.

**Epileptic Fits.**

When a Patient takes a fit, he should be laid on his back on a bed or sofa, or, if neither of these is at hand, on a clear space on the floor. A pillow is to be placed under his head, and the clothing about the neck and chest loosened. In violent convulsions, the movements may be gently restrained, care being taken that the Patient does not injure himself by dashing his head or limbs against the floor, the walls, or the furniture. Some Patients

shew warning signs of an approaching fit of Epilepsy; and when these occur, he should be induced to lie down as soon as possible, and remain lying until the fit is over. In nearly all cases of Epilepsy, a period of rest in the recumbent position after the fit, to encourage sleep, is desirable, and may ward off the excitement that frequently follows. The character and duration of a fit should be observed, and notice taken which parts of the body are most affected by convulsions. If a fit occur in a patient not known to be Epileptic, and, in the case of those subject to fits, if the attack be unusually long or severe, medical aid should be summoned.

Should apoplexy, or any other form of loss of consciousness by a Patient occur, the clothing about the neck and chest is to be loosened, the Patient placed in bed, and a medical officer sent for without delay.

Apoplexy.

Should choking occur, medical aid must be instantly summoned, as every moment is of the greatest value. Paralytics, epileptics, dying persons, and those of the insane addicted to "bolting" their food, as also suicidal Patients, who sometimes seek self-destruction by this means, require to be specially watched and guarded against choking.

Choking.

Until aid comes, all food should be removed from the mouth, the body of the Patient inclined forwards, and his back be sharply clapped with the back of the hand.

Any considerable loss of blood is at once to be reported, the colour of the blood and the quantity lost being carefully noted. In the case of bleeding from wounds and incisions, the flow of blood may be controlled somewhat until medical aid arrives, by pressure on the spot with the finger or a pad of linen, and by the application of cold water allowed to drip on the part from a sponge. The part from which the blood comes should be raised as much as possible above the rest of the body. In bleeding from the nose, the head should be kept erect, and the hands raised above it.

Hæmorrhage  
or Bleeding.

No nurse that has not received special instruction in midwifery should attempt to interfere with a patient in labour, but should place her in bed, and at once report the case. Attendants on the insane must, however, carefully watch Patients that are pregnant, as the insane in this condition frequently give no warning of the onset of labour by expressing their sufferings, or even by showing sign of discomfort.

Labour.

- Attempted Suicide.** One of the most common modes of suicide attempted by insane Patients is hanging or strangulation. In some of these cases, the life of the Patient may be saved by prompt and timely action on the part of an Attendant. The moment such a case is discovered, the ligature should be at once cut and removed from the neck. If the Patient is unconscious, means are to be taken to restore him by the application of cold water as in cases of fainting, and if the breathing has ceased or is feeble, *artificial respiration* is to be instantly commenced and continued until medical aid arrives.
- Hanging or Strangulation. What to do.** *Artificial respiration* is performed thus:—The patient is laid on his back, and the operator, standing at his head, grasps the Patient's arms, just above the elbows, draws them gradually upwards till they meet above the head, and keeps them in that position for two seconds: then bringing the arms down again, he presses them gently but firmly against the sides of the chest for two seconds more. These acts are to be steadily repeated alternately, and the process of artificial respiration by this means continued until medical aid arrives.
- Artificial Respiration. How it is accomplished.**
- Hints in case of poisoning.** When poisons have been taken, vomiting may be encouraged by tickling the throat, and by the administration of warm water with a little mustard added to it.

## BEDSORES.

**Bedsore.** Nothing is a surer test that careful attention is given by the Attendants to the sick-nursing in an Asylum than the absence of bedsores in those Patients liable to them, and the successful management of such sores, when, in spite of every precaution, they do unfortunately occur.

The Patients most liable to bedsores are those known in Asylums as General Paralytics, those suffering from other forms of paralysis, and those that, confined to bed for a lengthened period, have become extremely feeble and emaciated. Such cases require very special attention to the state of their skin and the bedding on which they lie. The under sheet should be kept smooth, free from crumbs, and as dry and clean as possible, and the position in which the Patient lies should be frequently altered.

The back should be examined daily and carefully cleaned, and a liniment, when such is provided for the purpose, regularly applied.

When bedsores occur, they are to be managed as are other such wounds, but with an extra amount of care as to cleanliness, and with frequent change of dressings, which, from their situation, are apt soon to become foul.

### LAYING OUT THE DEAD.

When a Patient dies, the eyelids are to be closed by gentle pressure with the fingers, and a bandage applied under the lower jaw to support it. The limbs are to be straightened out, the arms placed by the sides, and the lower extremities kept in position by a bandage round the ankles, and by one connecting the great toes. The clothing is then to be removed, the body thoroughly washed, and re-clothed in a clean bedgown. The corpse is then to be completely wrapped in a clean sheet.

The Dead.

## CHAPTER III.

### MIND AND ITS DISORDERS.

As already shown in a former section of the Manual, the brain is the centre of the Nervous System. In it all the nerves of the body converge ; and through them it regulates the movements, sensations, and nourishment of every part of the body. But the brain has still another function—it is the organ of mind. A healthy mind requires a healthy brain ; and all disordered mental manifestations have their origin in derangements of the brain.

Brain the  
organ  
of mind.

The mind is complex in its constitution ; and we are still very far from having a complete understanding of it, or an accurate knowledge of its working. But for our purpose it is sufficient to regard it as being made up of (1) the Intellectual Faculties, (2) the Will, and (3) the Emotions or Feelings.

Healthy mind.

**Intellectual  
or Reasoning  
Powers.**

The Intellectual Faculties are the reasoning powers, those powers by which we observe or perceive, judge of and compare, and reason regarding our surroundings or anything put before us and in them we include also Memory, the power of recalling to our mind former events or impressions. It is these faculties which we appraise roughly when we speak in ordinary language of a person as being of good intelligence or the reverse ; and in health they are not only up to the normal standard in power, but are also always more or less actively in use.

**The Will,  
Feelings, and  
Instincts.**

The Will is the faculty by which we direct and control our actions. Certain desires and susceptibilities are, as observation shows us, implanted in every person independently of the reasoning powers, such as the love of life, the love of offspring, the capacity for joy and grief, &c. ; and these are termed the Emotions or Feelings. In addition to the purely mental faculties, we also have various "organic" or bodily appetites or desires, such as the appetite for food and drink and the sexual instinct ; and these are called the organic appetites or Instincts.

**Unsound  
Mind.**

By Insanity is meant "disease or unsoundness of mind ;" and this unsoundness shows itself in a derangement or alteration of one or more of the mental faculties, feelings, or instincts. Thus the intellectual or reasoning powers may be more or less impaired in their working, or may be so perverted that the person forms notions which are altogether wrong and constitute delusions ; or the will and power of self-control may be affected ; or the feelings and organic appetites are disordered. The outcome of this mental derangement is seen in the Patient's conversation and general conduct. For instance, when a person who is naturally bright, active, and cheerful, becomes dull, stupid, and unable to do his work properly, or says that he is Jesus Christ, or feels intensely miserable without due reason, or shows by his conduct that he is acting from motives which are not usually recognised as natural and reasonable, we say that he is insane. The mental condition of every person varies from time to time under different circumstances ; but such variations are not regarded as unhealthy so long as they do not pass beyond certain limits. But when the variations are such as to render the person unable to take proper care of himself, or to behave rationally towards his fellow-creatures, they are regarded as morbid, and the mental condition is considered unsound.

A person's mental state is judged of by (1) his conversation, and (2) his conduct; and in estimating these we compare him with the generality of his fellow-men. We also compare him with himself as he was before becoming insane. Even before speaking to him, we may learn much regarding him by noting his expression, posture, &c. We see whether he is bright, lively, restless, and energetic, or dull, stupid, and listless, or suspicious of those around him. Then in conversation we find if he has a proper understanding of what is said to him, if he answers correctly and intelligently, if his memory is good or bad, and if he has any delusions. And by more prolonged observation of his general conduct, we judge if he shows any evidences of insanity in his actions or habits.

Mental State  
is judged by  
Conversation  
and Conduct.

In the great bulk of our cases, the intellectual faculties, the will, and the feelings and organic appetites, are all more or less affected together; and it is rare to find one of them deranged without the others being also involved. Therefore, in shortly reviewing the symptoms of insanity, we take, first, conditions of disturbance of the mind as a whole. In considering these, the changes in the intellectual faculties are the most striking, and call for most notice, though the will and the feelings are also affected. Some further reference will then be made to the condition of the will, to the more common changes in the feelings and instincts, and to various insane acts and habits shown by our Patients in consequence of their mental derangement.

Insanity  
usually affects  
the Mind as  
a whole.

Our arrangement then is the following:—

Arrange-  
ment of  
Symptoms.

(A.) States of General Mental Disturbance.

1. Depression of Mind.
2. Exaltation of Mind.
3. Enfeeblement of Mind.
4. Perversion of Mind.

(B.) Condition of the Will.

(C.) Changes in the Feelings and Instincts.

(D.) Insane Habits and Peculiarities.

(A.) States of General Mental Disturbance.

(1.) *Depression of Mind.* In this condition there is a morbid feeling of distress or unhappiness. This feeling varies much in degree in different cases, being sometimes slight, at other times very intense and all-absorbing; and it may also vary in the same

Mental  
Depression.

case at different times. It may exist without any impairment of the intelligence—the Patient may be able to converse rationally and acutely on the various subjects put before him, and show no evident mental weakness apart from the morbid feeling of wretchedness. But far more commonly the feeling of distress is more or less constant, and is so marked as to occupy the Patient's thoughts more or less persistently, and interfere with the healthy play of the intellectual powers; or there is very frequently great perversion of the intelligence, and delusions are developed. These delusions are of a more or less distressing nature, such as that poison is put in the food, that everybody is conspiring to kill the Patient, &c. Often they have reference to the religious sentiment, such as that the Patient has been cast off by God, and is doomed to eternal misery; or to the bodily health, as when the Patient says that his bowels are closed up, or that his stomach cannot digest the food he puts into it.

In this state of mental depression, the Patient is sometimes very quiet, sitting quite still in his own place, disinclined to talk, or refusing to say even a single word, showing no interest in the persons and things around him, moody and self-absorbed, and brooding constantly over his morbid fancies. In other cases there is more or less restlessness, with talkativeness, crying and moaning, wringing of the hands, frequent complainings, and the other outward signs of mental distress. The mental depression leads often to refusal of food, and to suicidal and homicidal acts by the Patient.

**Mental  
Exaltation.**

(2.) *Exaltation of Mind.* The intellectual powers, while not weakened in themselves, may be working at too high pressure, and the balance between them and the power of self-control be disturbed. The thinking centres in the brain are morbidly active, ideas pass through the mind with excessive rapidity, and the Patient is more or less "excited" in his conversation and conduct. The power of self-control being now insufficient, the Patient is absurd and extravagant in his behaviour, talking too much, or chattering incessantly, wandering from one subject to another without apparent connection, and being restless, noisy, interfering, impulsive, mischievous, destructive, or violent. The degree of this disturbance varies very much in different cases. In acute delirious mania, for example, the brain excitement is so great that the Patient is quite oblivious to ordinary external impressions, and he

then remembers nothing of what happens during his illness. Or without being delirious, he may evidently understand what is said to him, but be so excited that he cannot pay any steady heed to it (ordinary acute mania). Or in the less severe forms of mania, he may understand and answer questions readily and smartly, but still show the mental exaltation in being excessively talkative and restless and interfering. The feelings and appetites are altered, and often exaggerated.

(3.) *Enfeeblement of Mind.* The whole mental power may be more or less impaired or destroyed. Intellectually, this is shown in stupidity, impairment or loss of memory, incoherence, want of energy, want of attention, &c. The will-power is weak; and the feelings and instincts are usually much dulled. It is well seen in the condition of mental enfeeblement which often supervenes when the acute or severe symptoms of an attack of Insanity pass off without recovery taking place. In degree it may vary from slight enfeeblement, indicated by some silliness or childishness in conversation or conduct, up to deep dementia, when the Patient cannot tell even his own name.

Mental  
Enfeeblement.

(4.) *Perversion of Mind.* The intellectual faculties, with or without marked depression, exaltation, or enfeeblement, may be so twisted in their action that the Patient forms a wrong conception regarding himself or his surroundings; and he is then said to show delusion.

Mental  
Perversion or  
Delusion.

A delusion is a "false belief arising from diseased mental action." Frequently the belief is on the face of it preposterous and absurd, as when a person says that he is God Almighty and can move the world. At other times the Patient's statement is not absurd in itself, as when he says that he has lost all his money, or that he is about to die; and in such a case we have to ascertain that the belief is not founded on fact, or is not justified by the Patient's circumstances, before regarding it as a delusion.

When the false belief refers to any of the special senses of seeing, hearing, taste, smell, and touch, it is usually spoken of as a hallucination; while those false beliefs which are not connected with any of the special senses, but are simply false intellectual ideas, are delusions proper.

Hallucina-  
tions.

For example, a Patient may say that at night, when everything is quiet, he hears people in the next room or outside the house calling him by abusive names, and telling him to do things which

Examples of  
Hallucina-  
tions.

he ought not to do ; he is then suffering from hallucination of hearing. In such a case there may be either no sound at all to set up the sensation of hearing ; or there may be some sound, such as the noise of the wind, which the Patient hears but misinterprets and twists into some diseased notion. Similarly with hallucinations of sight, a Patient may say that he sees certain people in his room when there is no one there at all ; or, seeing certain persons there, his sight perceptions regarding them are disordered, and he takes them to be other than what they really are. An example of hallucination of taste is when a Patient says that he tastes the poison or filth which is maliciously mixed with his food ; of hallucination of smell, when he complains of sulphur being burnt under his nose, or of bad smelling gases being led into his room ; and of hallucination of touch, when he imagines that insects are creeping all over him.\*

Allied to the hallucinations of special sense are the cases of misinterpretation of those sensations which are perceived by us as arising in one or other of the organs in the body. For instance, a person after a severe drinking bout may misinterpret the pain felt in the stomach, and may think that rats are gnawing inside him. Similarly some Patients say that their "inwards" are being constantly dragged on and twisted.

Importance of  
Hallucina-  
tions.

Hallucinations are a very important symptom in Insanity. All the different forms may occur in cases of acute and recent insanity ; but the most frequent are those of hearing and sight. Often the hallucinations persist for a time, and then gradually pass away as the Patient progresses towards recovery. It is usually an

\* When the false perception arises from something external, which really exists but is misinterpreted, the term illusion is sometimes applied to it. The term hallucination would then be restricted to that graver form of derangement in which there is a false sense-perception with nothing external to account for it. A person hearing the noise of the wind and taking it to be a voice, would be said to have an illusion of hearing ; while if he heard a voice when there is no sound at all, it would be a hallucination.

A sane person may have illusions and hallucinations. Some people, for example, see the figures of animals, such as a cat, in the room when there is really no animal present. But the reasoning powers are brought into play to correct the false impression ; the person knows from other observations that there is no animal in the room, and understands that it is simply his sight which is playing him false. When the false sense-perception is not corrected by the reasoning powers, but is accepted as true, it becomes a "false belief" and is delusional.

unfavourable sign if the hallucinations persist without change for more than five or six months, and often means that the Patient will not recover. In the chronic forms of Insanity the hallucinations most frequently found are those of hearing; and every asylum shows cases in which the hallucinations of hearing constitute the most striking feature, and in which the Patient's conduct is largely guided by what the "voices" tell him. Hallucinations of sight are common in the Insanity associated with epilepsy. Occasionally hallucinations have their origin in some local disease of the organ of the affected sense; and this ought to be kept in mind, for then the local disease should be corrected if possible.

Delusions proper. These are found in very many cases of Insanity, and are of the most varied character. Thus, in the depressed cases, the delusions are, as already mentioned, usually of a more or less distressing character, such as having committed unpardonable sin, being lost eternally, being repulsive to everybody, causing infection, and bringing evil on relatives, and having lost all property. In states of mental exaltation, the Patient may say that he is possessed of great wealth, that he is Jesus Christ or Napoleon Buonaparte, or some person other than himself (delusion of identity), that his legs are made of glass, &c., &c. These delusional ideas may be constantly changing; or they may persist for some time and then disappear as the Patient improves in his mental state; or they may become permanent.

Delusions  
proper: their  
Variety.

In some cases we find that the Patient labours under delusions on one subject, or one set of subjects only, while apart from these particular delusions he appears to be rational and intelligent and can behave himself very well. This is the class known as monomania or partial insanity; and here the delusion is more or less permanent or "fixed." In it we find the following three types of delusion: First, the monomania of grandeur or pride, as when the Patient believes himself to be an emperor or king, the heir to the throne, or to be possessed of great wealth or of the whole place round him. Second, some Patients are morbidly suspicious, saying that they are the objects of persecution, that they are constantly being insulted, and that every little thing that is done is intended to annoy them: they attribute their supposed injuries to the people around them, and often bring unfounded complaints against the Attendants and other Patients. These are the cases

Limited or  
fixed  
Delusions.

of monomania of suspicion. Third, another class carry these suspicious ideas to a still further extreme, and imagine that they are worked upon by electricity, or mesmerism, or gases, but refer their persecution not to the real persons around them, but to some imaginary, supernatural, and unseen power. This is termed the monomania of unseen agency.

Varying  
Delusions in  
same Patient.

Delusions of different characters may be shown by the same Patient. Thus delusions of grandeur and of suspicion may be associated, as when a person says he is the rightful owner of certain property, but is unjustly kept out of it by the plots of his enemies. And delusions of a depressed character are sometimes found existing along with those of an exalted nature. It is of great importance to ascertain the particular delusions and hallucinations of each Patient, as in them we often find the explanation of the Patient's general conduct; and from their character we are enabled to judge better of the Patient's mental condition and of his propensities. For instance, a Patient may think that he hears a voice from heaven telling him to do away with himself; and in such a case we must be prepared to guard against a suicidal attempt, especially if we see that the Patient is very strongly under the influence of the hallucination. As with hallucinations, so with delusions proper: it is a bad omen when the false belief becomes fixed, while we are more hopeful as long as the delusions are of a changing nature.

Condition of  
the will in In-  
sanity; mor-  
bid impulses.

*(B.) Condition of the Will.*

In health the will and the power of self-control regulate our general conduct, and keep our natural impulses within normal bounds. The strength of this self-controlling power varies greatly in different individuals, and is much influenced by the education and training which the person has received. Some persons seem to be naturally deficient in it—they are of "weak will," flighty and irregular in their conduct, and largely under the sway of their impulses. Or on the other hand, the will may not be weak in itself; but the impulses or desires may, either from vicious indulgence or from disease, be greatly intensified until they become overmastering in their strength, and the controlling power is now insufficient to regulate them. For example, persistent excessive indulgence in alcohol begets a constant craving for stimulants, and at the same time weakens the will-power which ought to enable him to control the craving; and the person, from vicious

indulgence of the habit, becomes a slave to drunkenness. But sometimes drunkenness is a real disease (dipsomania), not a vice; the person is free from the craving for long periods together, but at certain times the desire for alcohol assails him with such terrible force as to be quite uncontrollable, and he will then do anything in order to gratify the diseased appetite. Such diseased and over-mastering impulses sometimes hurry the Patient on to deeds that he would naturally shrink from and abhor.

In Insanity the will and the power of self-control are often impaired to a greater or less extent; and there is frequently great irritability and impulsiveness. Then the insane often act under the influence of delusions, of ideas which are mistaken, but which are nevertheless very real to the Patient; and conduct which would be regarded as quite unnatural in a sane person, may in an insane person be the very natural outcome of his diseased mental condition. Hence we should always bear in mind that the insane are not fully responsible for their actions, and sometimes are quite irresponsible.

The Insane  
are not fully  
responsible  
for their  
actions.

(C.) *Changes in the Feelings and Instincts.*

Any of the natural feelings, emotions, or appetites may be exaggerated, impaired or destroyed, or perverted. A few examples will best show what is here meant. There is naturally in every man the love of life, with a desire to preserve it. In some forms of Insanity this natural feeling is destroyed—the patient has no wish to live, or may even loathe life and try to kill himself. In the mental derangement which sometimes follows child-birth, the natural affection of the mother for her child is often lost, or replaced by a feeling of intense hatred, and she may attempt to destroy the child. The appetite for food may be lost, and the Patient refuse his food; or it may be perverted, as when the Patient eats filth and other repulsive substances. The sexual instinct may be lost; or it may be exaggerated and perverted, and then the Patient gratifies his desires in an immoderate or unnatural way, and shows indecent practices.

Alterations in  
Feelings and  
Instincts: ex-  
amples.

There is in health a feeling of bodily well-being or pleasure, which is often not appreciated during health, but the want of which is at once indicated when we say that we “feel unwell.” This is often impaired in Insanity, as when a melancholic Patient says that he feels utterly miserable or wretched. Patients sometimes say that they have “no natural feeling.” Or on the other hand the feeling may be exaggerated. In General Paralysis the Patient

often says that he is thoroughly well and strong and in the very best of health, when in reality he is so paralysed that he can hardly move or speak.

Insane Acts  
and Habits :  
examples.

(D.) *Insane Habits and Peculiarities.*

The various insane acts and habits of our Patients have their explanation in one or other of the forms of mental disturbance which we have just considered. Some of these acts have been already incidentally mentioned. Wet and dirty habits, when not due to bodily paralysis, may arise from carelessness or wilful design, as in some cases of mania, or may be an indication of general mental enfeeblement, showing that the Patient is too stupid to take care of himself. Destructive propensities, such as tearing clothes, are very common among the insane, and may be the result of a paroxysm of acute excitement, of mischievous intent, or of delusion. Fantastic dressing, such as wearing a tinsel crown, is usually due to some delusion of grandeur. Theft is a frequent practice—the Patient sometimes thinking that everything he sees is properly his, while at other times he is not able to control his morbid desire to get possession of whatever takes his fancy, even though he knows it does not belong to him. Under the delusion that stones, pieces of glass, &c., are articles of great value, Patients may hoard up all kinds of useless rubbish, as often seen in General Paralysis. Or they may squander their property recklessly, under the idea that their wealth is inexhaustible. Refusal of food may be due to loss of the natural appetite for it, or may be the result of a melancholic delusion such as that the food is poisoned or that it cannot be paid for ; or of an exalted delusion, as when the Patient imagines he is a deity and needs no food. Talking to himself, especially in a loud scolding tone, usually means that the Patient hears or sees imaginary persons whom he is addressing.

Other acts which may be evidence of Insanity are stripping naked ; indecent exposure of the person ; sexual mal-practices ; eating ravenously or like an animal, or eating strange articles ; and various other less frequent eccentricities of conduct. But two propensities—the suicidal and the homicidal—require to be considered in more detail. A very large proportion of the insane are prone to injure themselves or others, and we have constantly to take measures for preventing suicidal and homicidal acts.

Suicide.

*Suicidal Acts.* The suicidal desire may be due to simple misery or weariness of life. Such Patients converse quite intelligently,

betray no delusion, but say just that they are wretched and that life is a burden to them. These are cases which require most careful watching, for suicide is often attempted by them, and their mental acuteness makes them more able to elude the care of their guardians. More frequently, however, the suicidal propensity springs from a delusion, as when the Patient thinks that he is hunted by his enemies or has some other distressing idea, and tries to escape from his misery by killing himself, or when he hears a voice from heaven commanding him to destroy himself. Or, without delusion and without any feeling of wretchedness, there is sometimes an ungovernable impulse to self-destruction. Occasionally Patients kill themselves accidentally, as when in a burst of wild excitement they try to escape from the house by jumping from the window ; but such cases are not suicidal in the same sense as the others, for here there was not the intent to destroy life.

The quiet cases that say nothing about their suicidal inclination or intention are in reality far more dangerous, and more likely to make a determined effort at self-destruction, than those who speak much about it. Hence we should be very vigilant with these quiet cases. Again, it must not be thought that a Patient will not kill himself because he is afraid of being killed by others. On the contrary, this is one of the most common delusions of suicidal Patients, and one that is very apt to throw the relatives off their guard.

The quiet cases are often the worst for suicide.

The most frequent modes of suicide are drowning, hanging, starvation, cutting, poison, using firearms, and precipitation. Sometimes the mere sight of the means of destruction, such as a sharp knife, rouses the suicidal impulse in the Patient's mind.

Modes of suicide.

Similar to suicide is the propensity to self-mutilation, as when the Patient tears out his tongue, puts out an eye, or chops off a finger. This is almost always delusional in its origin.

*Homicidal Acts.* Under these we include also the less severe forms of assault upon others. Such assaults may be made by a Patient when trying to escape from restraint, or they may occur in a paroxysm of acute insanity ; in the wild excitement of acute mania the Patient may assault any one near him without showing the reason that prompts his attack. More frequently it arises from hallucination of hearing or other delusion, as when the Patient thinks the assaulted person has been calling him abusive names or

Homicide.

is his enemy. Or it may spring from the mere *impulse* to kill. In the insanity associated with epilepsy there is often intense irritability ; and these Patients frequently make assaults, which may even be murderous, upon those near them on the very slightest provocation.

Various forms  
of Insanity.

*Varieties of Insanity.* The following names are given to the more common forms of Insanity :—

1. *Congenital Imbecility and Idiocy.* Mental feebleness or defect which has existed from birth or from infancy,—the mind never having reached its proper standard of development. The term Imbecility is applied to the slighter degrees, and the term Idiocy to the more marked degrees, of this congenital defect.

2. *Melancholia.* States of mental distress or suffering, the Patient being always more or less wretched or unhappy (mental depression). There may be just the simple feeling of depression or dulness to a greater or less degree ; or delusions may be developed, which are of a more or less distressing character, and aggravate the condition.

3. *Mania.* There is here exaltation or morbid activity of the mental powers, shown in excited conduct and speech, usually with delusions, but without any feeling of mental distress. The term Monomania is often applied to those cases in which the Insanity shows itself mainly in fixed delusions limited to one subject or one set of subjects.

4. *Dementia.* Mental feebleness similar to Imbecility, but coming on in a person whose mental powers have previously been of a healthy standard.

General Par-  
alysis : its  
symptoms.

5. *General Paralysis.* This form of insanity results from degeneration and wasting of certain portions of the brain, and is marked by a combination of mental and bodily symptoms. The disease tends to increase more or less steadily, and is always fatal, the Patient usually dying in from two to three years. Mentally there is a gradually increasing enfeeblement, which in the last stage of the disease is very profound ; often with periods of more or less acute excitement, delusions of great power and wealth, restlessness, and propensity to steal and hoard rubbish. This delusional condition often prompts the patient to engage in struggles and feats of strength which are beyond his power, and therefore attended with risk of injury. The bodily affection consists in a paralysis, which usually affects in the first place

the lips and speech, and gradually extends over the whole body until the Patient becomes utterly helpless. The power of swallowing is more or less impaired, and there is thus risk of choking when food is being taken. The Patient becomes wet and dirty in his habits, from loss of power over the bladder and bowels. The nutrition of the body is affected; the bones become soft, and are then liable to be fractured by very slight violence. Convulsive seizures, similar to epileptic fits, often occur in General Paralysis; and there is also a liability to attacks of congestion of the brain, in which the Patient lies unconscious as if in an apoplectic seizure. In the last stage of the disease there is great loss of flesh, bedsores form, and the Patient is in a very miserable plight.

6. *Epileptic Insanity.* Associated with Epilepsy we frequently find attacks of excitement. This excitement may come on before the fits, or after the fits, or may occasionally take the place of the fits; and it is often of the wildest and most furious character. Delusions are common, and also hallucinations of sight and hearing. There is frequently great suspiciousness; and often the soreness and muscular pains which are felt after the convulsive seizure are attributed by the Patient to rough usage by those near him at the time of the fit. As already mentioned, there is often intense irritability and quarrelsomeness, with great impulsiveness and deficient self-control, leading to violent and homicidal acts. Sometimes in these violent acts the Patient is quite unconscious of what he is doing. When epileptic fits recur frequently over a long period, there usually results more or less marked enfeeblement of mind.

Epileptic In-  
sanity.

---

## CHAPTER IV.

### THE CARE OF THE INSANE.

THE duties of an Attendant on the Insane are of a very responsible kind, and he is concerned in looking after both the bodily and the mental welfare of the Patients under his charge.

Importance of  
attending  
carefully to  
the bodily  
health.

*Management of the Bodily Condition.* Among the insane, just as among the sane, the mental condition is very largely affected by the state of the body, by its well-being and comfort or by its derangement and discomfort; and everything that tends to promote the bodily welfare has a direct and beneficial influence in promoting the mental health. Hence in all cases, and more especially in those in which the mental condition is such that the Patient cannot take proper care of himself, everything possible should be done by the Attendant or nurse, under the direction of the Doctor, to preserve the bodily health,—to improve it if necessary, and to keep it up to a proper standard. In studying the bodily functions (first section of the Handbook) we saw the necessity of good ventilation, cleanliness, warmth, sufficient clothing, good and sufficient food, regular open-air exercise, undisturbed sleep, &c., for the proper discharge of these functions; and it is necessary to attend to all these matters in the interest of our Patients. The Attendant should keep the day-rooms and the sleeping-rooms scrupulously clean, tidy, well-ventilated, and sufficiently warm; he should have the bed-clothing thoroughly aired at proper times, and kept clean and dry; and he should see that the Patient wears clothing suitable and sufficient for the season of the year. Cleanliness, both of person and of clothing, is absolutely essential. The Attendant should be very particular in seeing that the instructions of the Doctor as to the amount of exercise or work to be done by the Patient, the taking of medicines, and any other details of treatment, are accurately and punctually carried out. Sufficient time should be allowed for the taking of food; there should be no undue haste in removing the dishes; and the Attendant should see that each Patient takes his food in sufficient quantity and in a proper way, duly masticating it. Attention to the bowels is necessary; and this is especially important in cases of Epilepsy and General Paralysis, for in them derangement of the bowels is often the cause of an increase in the number and severity of the fits, or brings on the “congestive” attacks. During the night all noise or other source of disturbance should, as far as possible, be prevented in the sleeping-rooms.

All the  
insane are  
patients.

The various conditions which bear upon the bodily health have been already fully indicated in previous pages of the Handbook; and it is therefore unnecessary to enlarge further upon them here. In the second section of the Handbook instructions are given for

special nursing in the cases of more pronounced bodily illness. A good Attendant should consider that *all* the persons under his charge, even when they are not in the Hospital ward of the Asylum, are *Patients* in the truest sense of the term, and require special care and management; and many of the general instructions given in the second section are directly applicable in the treatment of all insane persons.

It is also the Attendant's duty to take note of any symptoms of bodily derangement or failing health, such as cough, breathlessness, loss of appetite, irregularity of the bowels, wasting of body, increasing feebleness in walking, &c., and to report them without delay to the Medical Officer, so that any treatment which is called for may be begun at once. It is likewise a good rule to examine the Patient's person carefully every time he is being dressed or undressed or bathed, and to observe if there are any abnormal appearances, such as bruises, marks of injury, redness, swelling, eruptions on the skin, commencing bedsores, &c. When found, these should be reported to the Doctor at once. Patients of wet and dirty habits should be frequently attended to, and kept as dry and clean as possible; and any medical directions given to prevent scalding of the skin should be carefully carried out. In some cases, especially in the advanced stage of General Paralysis and in the stupor which follows a succession of epileptic fits, there is risk of choking, from paralysis of the power of swallowing; and then all food should be given in a soft form, such as minced meat, milk, custards, and the soft part of bread, while hard food such as crusts should be avoided.

*Note and report any changes in the bodily symptoms.*

*Management of the Mental Condition.* The arrangements of an asylum, its discipline and daily routine, are intended (1) to promote recovery when that is possible; (2) to secure that the Patients shall be kept under due observation; and (3), in cases where recovery does not take place, to make the surroundings of the Patients as favourable, healthy, and comfortable for them as is possible, consistent with their safety and proper custody. It is therefore the duty of the Attendant to make himself familiar with the arrangements and regulations of the Institution in which he is serving, and to carry them out in a loyal and conscientious manner. In most asylums the Attendant, on beginning duty, receives a copy of the rules applicable to his work; and he should carefully study these rules and act up to them.

*Management of the mental state.*

*Follow carefully the Rules of the Asylum.*

For example, in one or more of the wards the Patients may, by direction of the Medical Officer, receive a very considerable amount of liberty, because it adds to their contentment; certain doors may be left open; and the Attendants are expected to supervise the Patients without the aid of locked doors; while in other wards, where the cases are not so trustworthy, the doors are kept constantly locked to prevent the Patients passing away from direct observation. In these latter wards the door should never by any negligence of the Attendant be left unsecured at any time. And equally in the former wards the doors should be kept open at the stated times; and the attendant has no right, unless instructed by one of the upper officers, to lock a door which is meant to be open, simply to save himself some extra bother in looking after a troublesome case.

Importance of  
the routine  
work.

In the same way all the other arrangements of the asylum, which are intended to secure the safety or promote the comfort of the Patients, should be intelligently carried out; and the instructions for the routine work, such as raising the Patients, the serving of meals, the bathing of Patients, and their supervision when at work or taking walking exercise, should be carefully followed. The windows are usually "checked," so that they cannot open wide enough to let a person pass through; and the shutters in the sleeping-rooms can, when necessary, be securely fastened.

Treatment of  
the different  
mental states.

In the treatment of individual cases we try to lead the mind into a more healthy groove of action, to repress morbid acts or habits, and to train the Patient to more healthy and correct habits. We endeavour to cheer the depressed by kindly sympathetic conversation and conduct towards them, and to divert their thoughts from their distressing fancies by getting them to take an interest in the things around them, and by inducing them to engage in active work and amusement when their bodily health permits it. The noisy turbulent cases should as far as possible be soothed by persuasion and judicious management, and kept from annoying their fellow Patients. When the excitement is severe and long-continued, we try to provide a healthy outlet for it in active muscular work or active open air exercise. With the demented Patients the Attendant has more or less to think for them in everything. He has to see to their being dressed and undressed, to their getting their food properly and going out for exercise, to their being protected from exposure to cold or other danger, and to all the other

routine of their daily life. Those Patients who are impulsive and wayward in their conduct should be encouraged to habits of better self-control.

With regard to delusions, these should never be made a subject of thoughtless ridicule or ill-timed jesting. Neither argument, nor ridicule, nor flat contradiction will convince a Patient of their error; and he may be needlessly annoyed and hurt thereby. It is much better, then, just to ignore the delusions as far as possible. The Attendant should avoid bringing them up in conversation or doing anything which leads the Patient to think about or express them, and he should try to get the Patient to act as if the delusion had no existence. Insane persons do not by any means always follow out their delusions to their logical conclusion. A Patient may think he is a king or the owner of the whole place, but still sees nothing incongruous in helping like any ordinary person in the work of the house, or in taking his orders from the asylum officers; and it is wise to encourage him in this habit, and thus quietly to ignore his delusion. If the Patient speaks about his delusions of his own accord, we should just say firmly but temperately that we think he is wrong there, and then try to lead him away from the subject. Nicknames should never on any account be given to Patients from their delusions, for doing so is just one way of keeping the idea constantly present to their mind.

Do not  
thoughtlessly  
ridicule de-  
lusions.

All those acts and habits which spring from the diseased mental condition, and which are therefore morbid and unnatural, should be repressed as far as possible, and correct habits inculcated in their place. Thus destructiveness and all other mischievous propensities should be checked. Slovenliness in dress and disorderliness in eating should be corrected, and the Patients encouraged to be neat, tidy, and orderly. When food is refused, much may be done by tact in persuading the Patient to take it. Sometimes Patients, while refusing all food offered directly to them, will yet take readily anything they can steal or pick up unobserved; and advantage may be taken of this peculiarity in getting them to take food. When forcible feeding is required, it should of course be done only under the immediate direction of the Doctor. The eating of leaves, cloth, and other improper things, should be prevented, for the Patient may thereby injure himself seriously. Some General Paralytics are especially apt to eat ravenously, stealing the food from the plates of other Patients, and

Correct In-  
sane habits.

cramming it in great pieces into their mouths, at the risk of choking themselves; and this propensity should be guarded against. Dressing fantastically in obedience to a delusion should not be permitted. When wet and dirty habits are due to the mental condition, not to bodily paralysis, much may be done by assiduous attention from the Attendant and by training the Patient to attend to the calls of nature at certain regular times, to get him into more correct habits.

Promote good habits.

This training to proper healthy habits not only promotes the comfort of the Patient, but has a very direct effect in improving the mental state. And the Attendant's exertions repay themselves well in the end, for the time and trouble bestowed on the Patient at first save still more time and still more trouble with him afterwards, as well as prevent the discredit attached to his being found in an unsatisfactory state.

Importance of regular occupation.

The daily routine of the asylum is meant to help in carrying out these various indications for the treatment of the insane. The regular hours for rising, taking food, work, exercise, amusement, and retiring to bed, are beneficial not only to the bodily health, but also to the mental state in making the Patient lead a regular life and educating him in good habits. Occupation is a most important means in the treatment of our Patients. It is not the amount and value of the work done that is here considered—it is that suitable occupation, however simple in itself, by exercising alike the bodily and the mental powers, has a most salutary effect on both the body and the mind. It diverts the Patient from his morbid fancies, and leads his thoughts into a healthy channel. Hence whenever the bodily strength allows of it, we should try to get the Patient to occupy his time usefully and engage in some work that is suitable and congenial to him. Such occupation is found in housework, in the garden or workshops, on the farm, in needlework, in the laundry, in drawing, writing, or any other work which the Patient is able for. It is not enough for the Attendant to take the Patient out with the working party, and then let him lounge about idly: he ought rather to make diligent efforts to get every Patient to engage in some steady work, however simple that may be. The willing must not be over-tasked; and the idle are to be induced to work.

Amusements.

Suitable amusements, such as dancing and games, are of value in introducing variety and interest into the life of the Patients;

and as many of the Patients as possible should be encouraged to join in them.

The amount of liberty allowed to each Patient is of course regulated by the instructions of the Doctor. Escapes should as far as possible be prevented by watchfulness on the part of the Attendants. Certain Patients show themselves more prone to escape than others; and they of course require to be specially looked after. General Paralytics, in the early restless stage of their disease, often make numerous attempts to escape in a foolish aimless way. When an Attendant takes a number of Patients out for work or walking, he should know exactly how many are with him, and should on his return see that all have come back with him. It is a good practice also to go over the Patients when they are at table and at bed-time, and to see from the unoccupied chairs and beds if any are missing.

Liberty;  
guard against  
escapes.

The risks of suicide and homicide must be guarded against. When the suicidal propensity is known or suspected, the Doctor usually gives instructions for the Patient to be placed under special observation—that is, to be kept under the direct and constant supervision of one or other of the Attendants. When this order is given, the Attendant should carry it out faithfully. There should be no negligence, no allowing the Patient to wander away from the room and get out of sight for a longer or shorter time, and no relaxing of the watchfulness without direct permission from the Doctor, for there is no knowing when or how a suicidal Patient will attempt to carry out his intention. In passing him from the charge of one to another, the first Attendant should, before relinquishing duty, see that the second Attendant has duly taken him under his care. Such articles as scissors, razors, knives, &c., which may be used for suicidal purposes, should be carefully kept out of the Patient's way. It is well to have these articles safely locked up when not in use. They should be counted when given out for use, and again when taken back, so as to ensure that none are left out. All medicines should be kept in a place of safety. It may be necessary to examine the Patient's pockets and clothing at frequent times, to see that he has not succeeded in secreting anything that may be used hurtfully. Melancholic Patients are often at their worst in the early morning, just after waking and before food has been taken; while after breakfast, and as the day wears on, they get less wretched, and the suicidal desire is less

Precautions  
against sui-  
cide.

marked. It is necessary, then, to see that the supervision is kept up carefully in the early morning, just as at other times; and it is often advisable to give the Patient some food, such as a cup of milk or warm coffee, immediately on his waking.

Precautions  
against homici-  
cide.

Homicidal assaults may best be guarded against during the day by having the Patient suitably occupied, by judicious supervision, and by having a sufficient number of Attendants to be able to control the Patient thoroughly if required; while at night the Patient may be made to sleep in a room by himself. When a dangerous Patient has a special dislike to any Attendant or Patient in the same ward, it should be reported to the Doctor, who will separate them by removing one or other to another ward. The irritability after epileptic fits is often best treated by persuading the Patient to lie down in bed and rest quietly away from his fellow-Patients.

Avoid  
struggles.

Never use  
force single-  
handed.

Struggles with Patients should always be avoided if possible. This is, for reasons already indicated, particularly important in the case of epileptics and General Paralytics. When it is necessary to use force, the Attendant should not, unless there is no help for it, attempt single-handed to struggle with the Patient. It is far better to summon assistance and get several Attendants together, when the Patient, seeing that resistance is useless, will often submit quietly; or if a struggle is still necessary, the Patient can now be mastered thoroughly and with sufficient ease, so that the risk of his receiving any injury during the struggle is lessened as much as possible. Inexperienced Attendants often think it a weak thing to get assistance, and pride themselves on managing a troublesome Patient without aid from others. This is a grave mistake. It leads to personal struggles with Patients which ought never to occur; and these struggles are often dangerous to both parties, and are always injurious by the bad feeling they create. In certain circumstances, indeed, it behoves the Attendant simply to leave the Patient and get out of his way; and there is not only no cowardice, but there is real wisdom, in such a course, if the Patient, while morbidly irritable and quarrelsome, can be safely left alone. Struggles with Patients ought to be immediately reported to the Doctor.

Other exigen-  
cies.

Other exigencies in particular cases call for appropriate management. Thus, with new Patients it is well to keep them under more particular observation for a time at first, until their propensities can be known, and a trustworthy idea formed regarding their mental state. In the insanity of old age there is often great rest-

lessness, along with great bodily frailty. This increases the risk of accidental injury; and sometimes the restlessness is so incessant as in itself to exhaust the Patient's strength. These dangers must be guarded against, and the Patient got to rest as much as possible, Epileptics should be prevented from engaging in work or getting into situations (such as going too near an unguarded fire or being left alone in the bath), which would be dangerous if a fit were to occur. Treatment which benefits the fits has usually a correspondingly good effect on the mental state; and any medical directions given with this view should be carefully carried out. When paralysis is present, it is necessary to guard the Patient more carefully from risk of injury; the bodily health has to be specially looked after; and the danger of choking, of scalding from the wet habits, &c., has to be kept in mind.

As with the bodily, so with the mental state; the Attendant should endeavour to notice any changes or new symptoms, such as greater restlessness, greater dulness, any delusions expressed, attempts to escape, or other peculiarities of conduct, &c., and should report them to the Doctor at his next visit.

Report  
changes in  
the mental  
state.

In their personal intercourse with the Patients, the Attendants should remember that example is better than precept. They should themselves, therefore, be examples of neatness, punctuality, and orderly conduct; and should always bear themselves with courtesy and respect towards both their fellow-Attendants and the Patients. Few persons can exercise control over others, especially if they are weak, without tending to abuse it; and the position of authority in which Attendants are placed is specially apt to be abused by coarse and unfeeling persons. This must be guarded against, and Attendants should bear in mind that the power over their unfortunate fellow-creatures entrusted to them is to be exercised always justly and considerately, never for the purpose of gratifying any personal wish for retaliation, or the mere vain-glorious desire of lording it over others, but always with a single eye to the welfare of the Patient. They should remember that the insane are not fully responsible for their actions, and should therefore not resent rude language or rough conduct from them, but show constant self-control and kindness as well as firmness towards them. It is most difficult to distinguish the annoying speech and conduct of many insane Patients from the bad conduct of sane people, which would deserve punishment. For such

Attendants  
should carry  
out their  
duties with  
firmness,  
kindness, con-  
stant self-con-  
trol, and tact.

insane conduct Attendants must never, on any account, resort to punishment. They should report it fully to the Doctor, and he will adopt the proper means for checking it in a medical way, which will have far more effect than the summary treatment of an Attendant, just as society is far better governed by a magistrate dealing with offenders, than by each man taking the law into his own hands. Attendants should not make a promise to a Patient unless it is to be fulfilled. They should try to win the confidence of the Patients by sympathy, kindness, and due consideration for their feelings. They should not hold themselves aloof from their charges, or be content with supervising them, but should join heartily in their occupations and amusements, and work both with and for the Patients. Much may be done by personal influence ; and a Patient will often be docile and quiet with one Attendant who guides him in the right way, when under another Attendant he would be very troublesome. When it is necessary to refuse requests by Patients, or to enforce control over them, Attendants should constantly refer to their "Rules" as their reason for doing so, rather than their own will, for thus there is much less feeling of irritation roused in the Patient. Above all things, remember that "a soft answer turneth away wrath." No maxim is of more value in dealing with the insane, or will save an Attendant more trouble in the end. These duties call for the exercise of much tact, that knack of knowing how best to manage a Patient, which cannot be taught on paper, but which can be acquired when there is forgetfulness of self and an earnest desire to do the best for the Patient.

#### ATTENDANCE ON THE INSANE IN PRIVATE HOUSES.

Home  
Treatment.

The attendance on those suffering from mental disease in their own homes, or in lodgings, is now one of the recognised branches of nursing. Few Patients in the higher classes are sent to asylums without home treatment having been tried in the earlier stages of the disease. A good Attendant is of incalculable value in the home treatment of a case of insanity. Through such services, attacks may be cut short, infinite anxiety and risks saved to Patient and relatives, accidents avoided, suicides averted, and valuable lives restored to reason.

The chief differences between treating a case at home and in an institution are the following:—

Differences  
between  
Home and  
Institution  
Treatment.

(1.) Less help can be got either from fellow Attendants or Doctors, and therefore more forethought and observation of the Patient's symptoms, more resource and self-command are needed. (2.) The risks are far greater from stairs, open windows, razors, knives, &c.; and therefore the first thing an Attendant in charge of a Patient at home must do, is carefully to obviate such risks, by taking possession of keys, removing bolts from inside of water-closets, checking windows, arranging for rooms on the ground floor, and putting away knives and razors. (3.) The difficulties of getting the Patient to take food, medicines, and exercise, are much greater; therefore, if these things can't be done by tact and persuasion, the Patient will probably have to do with less of them than he needs. A patient will usually be found to be much worse to control in his own house than anywhere else, and more apt to resist interference with his liberty. (4.) The relatives of the Patients will often be suspicious, or lose their heads from fear, or be fussy, or positively obstructive, therefore an Attendant must be patient but firm with the relatives and friends, and above all things, getting the Doctor in attendance to give explicit orders for the course adopted, and to take the responsibility of the instructions required. It is in many cases better if the Doctor will suggest that the Patient should be left with his Attendant without relatives coming in to interfere too much. (5.) The labour is more exhausting, being often night and day work. An Attendant should tell before his own strength and nerve are giving way and ask for assistance. (6.) A good Attendant can help the Doctor in attendance greatly, by keeping a daily written note of: (a) the food taken, (b) the amount of sleep, (c) the length of time in the open air, (d) the Patient's temperature, (e) the chief mental symptoms with the changes that take place in them, (f) the Patient's weight if possible every week if the case is long continued. Such observations are very good for the Attendant himself, and give confidence to the Patient's relatives. (7.) It falls more directly on the Attendant than in an asylum to note whether the Patient is in any way suicidal, and to take measures for his being properly watched. No mental nurse should ever go to a case without thinking of the question of a suicidal tendency. (8.) As his position is isolated he should, ask the Doctor very minutely about

the treatment and contingencies, and tell fully about his difficulties, and he should report all struggles with the Patient, &c. (9.) As he should be above suspicion, it is usually better not to take any alcoholic stimulants at all while on duty.

Home treatment enlarges knowledge and increases responsibility

To have the care of a few cases in their own houses, or in lodgings, is very good for an Attendant trained in an institution. It makes him more watchful, more self-reliant, and more thoughtful, and he feels his own responsibility and the importance of his duties more. He should keep his place as the Patient's *nurse*, and not mix with the servants, and, above all things, should not gossip either in the house or out of it, about the Patient's symptoms. Most likely he will at first be looked on with some suspicion or jealousy by those in the house, therefore he ought to be very prudent in his conduct; but if he does his work well and the case turns out satisfactorily, he will often be rewarded by the gratitude and good will of his Patients and their relatives.



## CHAPTER V.

### THE GENERAL DUTIES OF ATTENDANTS.

ALL attendants and servants shall sign some such declaration as the following :—

Declaration made by Attendants and Servants

I hereby promise to obey the Rules of the Institution, to faithfully execute the orders that may be given me by my Superior Officers, and to perform any duty assigned to me, although not of the kind for which I am chiefly engaged. I consider myself bound to promote the objects of the Institution, to do my best to further the recovery of the Patients, and to secure their comfort and safety. I also undertake not to bring into the Institution any intoxicating liquors; to be careful of its property; to avoid all gossip as to its inmates or affairs; and to endeavour generally, by my own conduct and demeanour, to sustain its reputation. If

anything improper be done in my presence, or to my knowledge, I pledge myself to lose no time in reporting it to the Medical Superintendent or one of the Superior Officers. I understand my engagement to be monthly, and agree to give one calendar month's notice should I wish to leave my situation. I acknowledge the right of the Medical Superintendent to discharge me without warning, and with forfeiture of all wages, for acts of harshness or violence to Patients, intemperance, or disobedience to orders.

The duties and obligations of Attendants are briefly set forth in the Declaration, and all instructions and regulations for their guidance amplify that Declaration, and inform them how the recovery, safety, and well-being of the Patients are provided for. These duties require the enduring exercise of kindness and firmness, sobriety of demeanour, and an intelligent carrying out of rules and orders. This service, like all others, requires to be learnt, and it is therefore necessary that Attendants should make themselves familiar with the contents of this book, and give careful attention to the instructions received from their Superior Officers. They must always remember that their position is one of great trust and responsibility ; and that they have the care of those who, through affliction, cannot care for themselves ; and that upon them the recovery, comfort, happiness, and safety of the Patients, in great measure depend.

Summary of  
Duties.

Attendants should be examples of propriety of conduct, order, personal neatness, and perfect truthfulness. They are enjoined to do their utmost to occupy and amuse every Patient, no matter what the mental condition may be. They shall treat all with impartial consideration, and are expected to exercise such tact as will comfort the depressed, soothe the excited, and check the impulsive, irritable, and destructive. They shall also use every endeavour to render the wards interesting, beautiful, comfortable, and home-like. In the employment of Patients, the Attendant must work with them, and make it appear that they are assistants, and not servants, and no Patient is to be overtasked. In their amusements, all should participate, and none be excluded.

Exemplary  
Conduct  
necessary.

All Attendants are under the authority of the Medical Officer and the Heads of their respective Departments. The Charge Attendant in each ward is responsible for its management, and the safety and safe custody of the Patients in it, and this responsibility is shared in by the ordinary Attendants. During

Distribution  
of Authority.

the temporary absence of the Charge Attendant, the Second Attendant undertakes the duties. These duties include more especially the administration of medicines, &c., the reporting of the symptoms and peculiarities manifested by the Patients, of any misconduct on the part of the Attendants, the general management of the ward, and the safe keeping of the property of the Institution, and of the Patients contained in it. The Charge Attendant shall also send in such reports and keep such books and lists as may be required. They shall also number the Patients from time to time, at meal hours, when going out for exercise, and when going to bed, and accompany the Medical Officers on their rounds.

**Cruelty or  
Neglect.**

Any act of neglect, harshness, or cruelty towards Patients will be punished with the utmost rigour, in accordance with the provisions of the Lunacy Acts. Act 16 and 17 Vict. Cap. 97 Sect. 123: "If any Superintendent, Officer, Nurse, Attendant, Servant, or other person, employed in any Asylum, strike, wound, ill-treat, or wilfully neglect any lunatic confined therein, he shall be guilty of a misdemeanour and shall be subject to indictment for every such offence, or to forfeit for every such offence, on a summary conviction thereof before two justices, any sum not exceeding twenty pounds nor less than two pounds." Also 20 and 21 Vict. Cap. 71, Sect. 99. "If any Superintendent, Inspector, Officer or Servant, or other person, employed in any Public, Private, or District Asylum or House, or otherwise having the care of any person detained as a Lunatic Patient . . . shall wilfully maltreat, abuse, or neglect any person so detained to the injury of such person, such Superintendent, Inspector, Officer or Servant, or other person, shall be guilty of an offence, and for every such offence be liable in a Penalty not exceeding one hundred pounds, or to be imprisoned for any period not exceeding six months." Attendants are warned that they must prevent one Patient from ill-treating another, and will not be allowed to delegate their duties to Patients, except as may be expressly sanctioned. They must instantly report any ill-treatment, and any Attendant concealing such conduct will be deemed guilty, and dealt with accordingly. Attendants are specially warned against mimicry, deception, or irritation of Patients. A respectful demeanour towards them must be maintained, and no vindictive feelings expressed, or profane language used.

**Employment  
of Force.**

Should it be absolutely necessary to employ force, it must never

be used by a single Attendant, except in the most urgent circumstances; but additional assistance must be immediately procured, and one of the Superior Officers at once summoned, when possible, before force is resorted to. Should a struggle be unavoidable in controlling violence, the knees must never be placed on the body of the patient. Fatal injuries have often been unintentionally caused in this way. On no account are the limbs to be twisted.

No Patient shall be subjected to any Privation, Seclusion, or Mechanical Restraint, without a special order from the Medical Superintendent or his Deputy. By seclusion is meant the placing of a Patient alone in any locked room or locality during the day-time. By Mechanical Restraint is meant any restriction of the bodily liberty of a Patient by some appliance—such as a rope or strait-jacket. In case of great and sudden violence a Patient may be placed in a room alone, but the door must not be locked, and the circumstances are to be at once reported to the Head Attendant. No Patient is to be detained in bed, or placed in bed, before the stated time without the sanction of the Head Attendant.

Privation,  
Punishment,  
&c., forbidden

The Attendants shall exercise a constant supervision over the Patients entrusted to them, except such as are on parole. They shall not remain in their rooms during the day, nor shall they leave their Wards during hours of duty, except in the discharge of duty. No Ward is to be without the supervision of an Attendant, when it contains Patients not on parole. Special and unceasing attention must be devoted to newly-admitted Patients, to the suicidal, dangerous, destructive, dirty, and those prone to escape; and it must not be forgotten that many seemingly quiet Patients are, at times, liable to become dangerous to themselves or others. When Patients are being transferred from one Ward to another, they must be accompanied by an Attendant, who will personally intimate their arrival to the Attendant in charge of that division.

Supervision of  
Patients.

Reports as to Patients are not to be made in the hearing of those referred to, nor are Attendants to reply to the complaints of Patients unless requested to do so. The following call for an immediate or special Report:—Accidents; Violence; Refusal of Food; Difficulty in Swallowing; Bodily Illness; Extraordinary Mental Symptoms; Eruptions on the Skin; Shiverings; Fits; Unusual Threatening Language (suicidal or homicidal); Depression of Spirits, or Attempts at Escape.

Personal  
Reports.

No Change  
of Medical  
Treatment  
allowed.

There must be no alteration of the Treatment of any Patient without the express sanction of the Medical Officers. No Patient shall be taken beyond the grounds without permission ; and no Patient shall be allowed to absent himself from out-door exercise except by reason of sickness, dangerous excitement, or other similar causes. The hours of work must be rigidly adhered to, except as may be specially sanctioned.

Food,  
Medicines,  
&c.

The meals must be served punctually, neatly, expeditiously, and be equally distributed. The Patients must have due time to eat their food before the table is cleared, and any defect in its quality or quantity is to be reported to the Medical Superintendent.

All articles of sick dietary must be properly administered, and only to the Patient for whom they are supplied. Wine, or other stimulants, and medicines, are to be punctually and carefully given, and always strictly according to directions.

Attendants must slowly and carefully feed such Patients as cannot feed themselves, and never use force in so doing. Patients on minced meat are to be effectually guarded against the risk of partaking of the ordinary diet.

Dangerous  
Articles.

Attendants shall exercise every precaution in regard to keys, razors, scissors, medicines (including disinfectants), &c. ; and any loss must be immediately reported to the Head Attendant.

Keys must be constantly worn on the person and displayed as little as possible. They are not to be lent to Patients, nor taken beyond the bounds of the Institution without sanction.

Knives and forks, scissors, &c., must only be used in the immediate presence of an Attendant, and at all other times must be kept locked up.

Broken glass and crockery must be entirely and immediately removed.

Such dangerous places as Lifts must be kept locked when not actually in use by the Attendants, and every precaution taken to prevent accidents there.

The greatest care is to be taken to lock up all medicines in the safe places provided for them, never to permit any Patient to handle them, and not to serve out more than the exact dose indicated by the label.

Suicidal  
Patients.

Suicidal patients must be most carefully searched on going to bed, and kept under special supervision.

Every possible precaution must be used to guard against the danger of fire, in accordance with the special rules in force.

**Fire.**

Coals must not be heaped high on grates.

No fire is to be left burning without being protected by a wire fire-guard, when such are provided.

No inflammable materials are to be placed near the fire-places.

Only such matches as are issued from the stores may be used, and none given to Patients.

Burning materials are not to be carried about, nor are lighted matches, &c., to be thrown on the floor.

Attendants must supervise the lighting and mending of the fires themselves, and keep the necessary materials in the places allotted to them when not in use.

Charge Attendants must see that all fires in their wards are low, and carefully protected before going to bed.

All gas lights must be carefully turned out at the proper time. An escape of gas must be reported at once, the room freely ventilated, and on no account approached with a light.

Should a fire occur, all are expected to retain their presence of mind, to set all appliances provided in immediate action, to summon aid, and to secure the safety of the Patients as detailed in the Rules and Regulations hanging in each Attendant's Room.

It is necessary for the health of the household that all impurities should be removed as fast as they are produced; that daylight and fresh air should be freely admitted; that the air of the wards should be warm and dry; and that there should be a plentiful supply of clean fresh water. Every part of the house is liable to inspection, and must be scrupulously clean. Attendants will therefore see that there is a speedy and thorough removal of all house refuse and filth from the building and its neighbourhood, and frequent and complete cleansing of such sculleries, closets, &c., as require it. They shall give constant attention to the ventilation of the wards, and endeavour to keep them supplied with pure air free from draughts and at a temperature of 58°. Remains of meals must be carefully returned with the dishes to the kitchen, and broken fragments removed as swill, together with the ashes and other refuse as may be directed.

**Cleanliness  
of the  
Institution.**

The Attendants are responsible for the cleanliness of all Patients under their charge, and must give special attention to those who

**Cleanliness  
of Inmates.**

are of dirty and destructive habits. Soiled and torn clothing must not be permitted at any time.

**Laundry.** The soiled articles are to be sent to the Laundry at the appointed times, with an accurate list of every item, which must be duly marked with the name of the owner or ward number. Deficiencies are to be reported at once.

Special care is to be taken in regard to the clothing of Patients suffering from infectious or contagious diseases. It must be sent to the laundry separately, and the laundress must be made aware of the nature of the bundle. By scrupulous attention to such means, infectious diseases may be in great measure stamped out.

**No waste.** Attendants shall see that there is no waste permitted, and Charge Attendants shall be responsible for the furnishings of their wards and the property of the Patients therein. They shall keep an inventory of all these articles, and see that everything is kept in proper repair and in accordance with their lists. All old articles must be produced to the Head Attendants before being condemned and renewed.

**Admission of Patients.** On the admission of a Patient, the Attendant in charge shall lose no time in ascertaining the habits, tendencies, and condition of the Patient, as indicated by the Patient, and as set forth on the notice of admission. It is of great moment for the protection of the Attendants that all bruises or injuries should be noted at once.

**Evening Duties.** Charge Attendants shall see that all Patients are safe in bed without having secreted clothes or other articles in the bed-rooms, except such as are permitted to do so by special sanction. The Night Attendant will take charge of the Patients by making a round of inspection with the Charge Attendants before going off duty, and receive their instructions.

**Morning Duties.** The Day attendants will take over the charge of the patients in the same way. Charge Attendants shall every morning personally inspect every Patient and ascertain the bodily condition and the state of the bed-room. No Patients, except ward helpers, are to be placed in the day-rooms in the morning until the latter are made clean, warm, and comfortable in so far as possible.

**Escapes.** Attendants who wilfully neglect or connive at the escape of a Patient are liable to prosecution, and when a Patient escapes through the carelessness of an Attendant, a portion or the whole of the expense of bringing back such Patient to the Asylum may be deducted from the wages of that Attendant.

The Special Bath Rules in force in every Asylum are to be strictly observed, for many Patients have died in baths. Every precaution is to be used against accident in the bath room, the thermometer is to be used as ordered, and the bath is not to be used except in the immediate presence of an Attendant. The cold water must always be turned on before the hot, and no Patient is to be bathed in water of higher temperature than 100°, except by medical order.

Baths.

Attendants shall not cause the Patients to work for them ; nor shall they work for themselves during hours of duty without the permission of the Medical Superintendent.

Private work.

No pet animals are allowed within the Asylum except by permission of the Medical Superintendent.

No pets allowed.

The Male Department is absolutely forbidden to all females, and the Female Department to all males except in the execution of some duty expressly sanctioned by the Medical Superintendent. Attendants of each sex must always be present on these occasions. The Kitchen and Laundry are forbidden to Attendants except in the discharge of assigned duties.

Localities forbidden.

No Attendant shall relate out of the Asylum anything connected with its inmates or affairs. They shall not hold communication with the Patients' friends, nor permit gossip with the outside public. They shall not introduce books or papers without the Sanction of the Medical Superintendent, and they shall be careful to hand all letters, &c., written by Patients to him.

Gossip, &amp;c.

Visitors are admitted to the Visiting Rooms only, except by special permission of the Medical Officer.

Visitors.

As at all other times, a Patient while being visited by friends must be kept under constant observation, except by special permission, which is to be obtained on each occasion.

Visitors to Attendants must first be announced to the Head Attendants, and on no account are such visits to unduly interfere with the work of the Asylum.

The Leaves of Absence are arranged by the Medical Superintendent on as liberal a scale as possible ; but it must be distinctly understood that no leave can be claimed as a right. Before going out, Attendants shall see that complete provision is made for the performance of their duties during their absence, and that the Attendant relieving them is informed of the

Leave of Absence.

occurrences since last medical visit. In the Absence of any Attendant, the others in the ward shall be held responsible for the discharge of his duties.

Nothing shall be carried out of the Asylum without a written pass from the Head Attendant.

**Testimonials.** No Attendant or Servant will be entitled to a certificate granted by the Medical Superintendent under one year's service.

The foregoing Instructions apply to all persons in the employment of the Institution, in so far as regards their intercourse with the Patients.

**Pensions or Bonuses.** These duties are very trying and difficult. The remuneration and privileges of efficient Attendants will, therefore, be as liberal as possible; and special aptitude for work will assuredly receive recognition and reward. In those Asylums where Pensions or Bonuses are given, the rewards granted to Attendants will be proportionate to their services; and Attendants are reminded that there are no better tests of their efficiency than the amount of benefit derived by Patients through their exertions, the happiness of those in their charge, and the good report of convalescents.



# APPENDIX,

CONTAINING LISTS OF ALL THE PUBLIC AND PRIVATE  
LUNATIC ASYLUMS IN THE UNITED KINGDOM, THEIR  
SUPERINTENDENTS, &c.

## ENGLAND—COUNTY ASYLUMS.

Counties, United Counties, and Boroughs.	Where situated,—Postal Address.	Medical Superintendents.
Beds, Herts, and Hunts ...	Stotfold, near Baldock ...	E. Swain, L.R.C.P. Ed.
Berks ... ..	Moulsford, Wallingford...	J. H. Douty, M.R.C.S.
Bucks ... ..	Stone, Aylesbury ...	John Humphry, M.R.C.S.
Cambridge and Isle of Ely	Fulbourn, Cambridge ...	E. C. Rogers, M.R.C.S.
Cardmarthen, Cardigan, Pembroke ... ..	Cardmarthen ... ..	G. J. Hearder, M.D.
Chester ... ..	Upton, Chester ... ..	J. H. Davidson, M.D.
" ... ..	Parkside, Macclesfield ...	T. S. Sheldon, M.B.
Cornwall ... ..	Bodmin ... ..	Rd. Adams, L.R.C.P. Ed.
Cumberland and West- moreland ... ..	Carlisle ... ..	J. A. Campbell, M.D.
Denbigh, Anglesea, Carnar- von, Flint, and Merioneth	Denbigh ... ..	L. F. Cox, M.D.
Derby ... ..	Mickleover, Derby ...	J. M. Lindsay, M.D.
Devon ... ..	Exminster ... ..	G. J. S. Saunders, M.D.
Dorset ... ..	Dorchester ... ..	P. W. MacDonald, M.D.
Durham ... ..	Sedgefield, Ferry Hill ...	R. Smith, M.D.
Essex ... ..	Brentwood ... ..	G. Amsden, M.B.
Glamorgan ... ..	Bridgend ... ..	H. T. Pringle, M.D.
Gloucester ... ..	Gloucester ... ..	F. H. Craddock, M.R.C.S.
Hants ... ..	Knowle, Fareham ...	T. B. Worthington, M.D.
Hereford ... ..	Burghill, Hereford ...	T. A. Chapman, M.D.
Kent ... ..	Barming Heath ...	F. P. Davies, M.D.
" ... ..	Chartham, Canterbury ...	R. Spencer, L.R.C.P.
Lancaster ... ..	Lancaster ... ..	D. M. Cassidy, M.D.
" ... ..	Rainhill, Prescott ...	T. L. Rogers, M.D.
" ... ..	Prestwich, Manchester ...	H. R. Ley, M.R.C.S.
" ... ..	Whittingham, Preston ...	J. A. Wallis, M.D.
Leicester and Rutland ...	Leicester ... ..	W. H. Higgins, M.B.
Lincoln ... ..	Bracebridge, Lincoln ...	E. Palmer, M.D.
Middlesex ... ..	Banstead, Epsom ...	T. C. Shaw, M.D.
" ... ..	Colney Hatch, Middx., N.	W. J. Seward, M.B.; W. G. Marshall, F.R.C.S.
" ... ..	Hanwell, Middlesex, W.	H. Rayner, M.D.; J. P. Richards, M.R.C.S.
Monm'th, Brecon, & Radnor	Abergavenny ... ..	James Glendinning, M.D.
Norfolk ... ..	Thorpe, Norwich ...	D. G. Thomson, M.D.
Northampton ... ..	Berrywood, Northampton	R. Greene, L.R.C.P. Ed.
Northumberland ... ..	Cottingham, Morpeth ...	T. W. McDowall, M.D.
Nottingham ... ..	Nottingham ... ..	A. Aplin, L.R.C.P.

Counties, United Counties and Boroughs.	Where situated,—Postal Address.	Medical Superintendents.
Oxford (Abingdon, Oxford City, and Windsor) ...	Littlemore, Oxford ...	R. H. H. Sankey, M.R.C.S.
Salop and Montgomery ...	Bicton, Shrewsbury ...	A. Strange, M.D.
Somerset and Bath ...	Wells, Somerset ...	A. Law Wade, M.D.
Stafford ...	Stafford ...	J. W. S. Christie, L.R.C.P.
" ...	Burntwood, Lichfield ...	Jas. B. Spence, M.D.
Suffolk ...	Melton, Woodbridge ...	W. Eager, L.R.C.P.
Surrey ...	Wandsworth ...	J. S. Biggs, M.D.
" ...	Brookwood, Woking ...	Jas. E. Barton, L.R.C.P.
" ...	Cane Hill, Purley ...	Jas. M. Moody, L.R.C.P.
Sussex ...	Hayward's Heath ...	S. W. D. Williams, M.D.
Warwick ...	Hatton, Warwick ...	H. R. O. Sankey, M.B.
Wilts ...	Devizes ...	J. I. Bowes, M.R.C.S.
Worcester ...	Powick, Worcester ...	E. M. Cooke, M.B.
York, N. Riding ...	Clifton, York ...	J. T. Hingston, M.R.C.S.
" W. Riding ...	Wakefield ...	W. B. Lewis, L.R.C.P.
" E. Riding ...	Wadsley, Sheffield ...	S. Mitchell, M.D.
" E. Riding ...	Beverley ...	M. D. Macleod, M.B.
<b>BOROUGHS.</b>		
Birmingham ...	Winson Green ...	E. B. Whitcombe, M.R.C.S.
" ...	Rubery Hill, Bromsgrove ...	T. Lyle, M.D.
Bristol ...	Stapleton, Bristol ...	G. Thompson, M.D.
Exeter ...	Digbys, Heavitree ...	R. L. Rutherford, M.D.
Hull ...	Cottingham, Hull ...	J. Merson, M.D.
Ipswich ...	Ipswich ...	B. Chevallier, M.D.
Leicester ...	Humberstone, Leicester ...	J. E. M. Finch, M.D.
London (City of) ...	Stone, Dartford ...	Ernest W. White, M.B.
Newcastle-on-Tyne ...	Gosforth ...	R. H. B. Wickham, M.D.
Norwich ...	Hellesdon, Norwich ...	W. Harris, M.R.C.P. Ed.
Nottingham ...	Mapperley Hill ...	Evan Powell, M.R.C.S.
Portsmouth ...	Milton, Portsmouth ...	W. C. Bland, M.R.C.S.

**HOSPITALS.**

County.	Hospital.	Medical Superintendents.
Chester ...	Manchester Royal Lunatic Hospital, Cheadle ...	G. W. Mould, M.R.C.S.
Devon ...	Wonford House, Exeter ...	P. M. Deas, M.B.
Gloucester ...	Barnwood House ...	F. Needham, M.D.
Lincoln ...	The Lawn, Lincoln ...	A. P. Russell, M.B.
Middlesex ...	St. Luke's Hospital, E.C.	G. Mickley, M.B.
" ...	Royal India Lunatic Asylum, Ealing, London, W.	T. B. Christie, M.D.
Norfolk ...	Bethel Hospital, Norwich ...	H. Turner, M.R.C.S.
Northampton ...	St. Andrew's Hospital ...	J. Bayley, M.R.C.S.
Notts ...	The Coppice, Nottingham ...	W. B. Tate, M.D.
Oxford ...	Warneford Asylum ...	J. B. Ward, M.D.
Stafford ...	Coton Hill, Stafford ...	R. W. Hewson, L.R.C.P. Ed.
Surrey ...	Bethlehem Hospital, S.E.	G. H. Savage, M.D.
" ...	Holloway Sanatorium, St. Ann's Heath, Egham ..	S. Rees Phillips, M.D.

County.	Hospital.	Medical Superintendents.
York ... ..	Bootham ... ..	C. K. Hitchcock, M.D.
" ... ..	The Retreat, York ... ..	R. Baker, M.D.
Berks ... ..	Criminal Lunatic Asylum, Broadmoor, Berks ... ..	D. Nicolson, M.D.
Hants ... ..	Royal Military Hospital, Netley, Southampton... ..	W. T. Martin, Surgeon- Major.
Norfolk ... ..	Royal Naval Hospital, Yarmouth ... ..	T. Browne, M.D.

HOSPITALS REGISTERED UNDER THE IDIOTS ACT, 1886.

Essex ... ..	Eastern Counties Asylum for Idiots, Colchester.	E. Williams, Supt.; C. Caldecott, M.B.
Lancaster ... ..	Royal Albert Asylum for Idiots, Lancaster ... ..	G. Shuttleworth, M.R.C.S.
Surrey ... ..	Asylum for Idiots, Earls- wood, Redhill ... ..	C. S. W. Cobbold, F.R.C.P.

METROPOLITAN LICENSED HOUSES.

I. RECEIVING BOTH PRIVATE AND PAUPER PATIENTS OF BOTH SEXES:—

	Houses.	To whom Licensed.
Bethnal Green, E. ...	Cambridge Road ... ..	John Millar, L.R.C.P.
Bow, E. ... ..	Grove Hall, Fairfield Road ... ..	E. H. Byas, M.R.C.S., and W. J. Mickle, M.R.C.P.
Camberwell, S.E. ...	Camberwell House ... ..	J. H. Paul, M.D., and F. Schofield, M.D.
Hoxton, N. ... ..	Hoxton House ... ..	J. F. Hill, J. W. Carter, and J. F. Woods, M.R.C.S.
Peckham, S.E. ... ..	Peckham House ... ..	E. H. Byas, M.R.C.S., A. H. Stocker, M.D., and F. Marchison, M.B.

II. RECEIVING PRIVATE PATIENTS ONLY,—(a) OF BOTH SEXES:

Chiswick ... ..	Manor House ... ..	T. H. Tuke, M.D., Mrs. Tuke, T. S. Tuke, M.R.C.S., & C. M. Tuke, M.R.C.S.
Clapton, Upper, E. ...	Brooke House ... ..	H. Monro, M.D., H. T. Monro, and J. O. Adams.
Finsbury Park, N. ...	Northumberland House...	F. J. Wright, M.D., and A. H. Stocker, M.D.
Isleworth ... ..	Wyke House ... ..	E. S. Willett, M.D., and C. H. Keep, M.R.C.S.
Roehampton, S.W. ...	The Priory ... ..	W. Wood, M.D., and T. Bigland, M.R.C.S.
Sunbury ... ..	Halliford House ... ..	J. J. J. Seaton, M.R.C.S., Miss K. J. Seaton, and G. T. Haigh.

	Houses.	To whom Licensed.
(b) MALES ONLY :		
Chelsea, s.w. ... ..	Blacklands House, King's Road ... ..	C. J. Sutherland, H. Sutherland, M.D., A. H. Sutherland, and E. T. Hall, M.R.C.S.
Fulham, s.w. ... ..	Munster House ... ..	G. F. Blandford, M.D., C. F. Williams, and E. C. Hammond, M.R.C.S.
Hillingdon ... ..	Moorcroft House ... ..	H. Stilwell, M.D., and D. G. Johnston, M.B.
South End, Catford, s.e. ...	Flower House ... ..	C. A. Mercier, M.B.
(c) FEMALES ONLY :		
Fulham, s.w. ... ..	Peterborough House ...	Mrs. Hill, J. R. Hill, L.R.C.P. and Miss Hill.
Hammersmith, s.w., ...	Otto House, North End...	C. J. Sutherland, H. Sutherland, M.D., A. H. Sutherland, & Miss C. Sharpe.
Hammersmith, w... q.	Upper Mall House ...	C. Cotes and Mrs. Cotes.
" " w... q.	Homelea, 66 Weltje Road	Mrs. E. A. Buck.
Hanwell, w. ... ..	Lawn House ... ..	Misses E. & H. E. E. Dixon.
Hayes, Uxbridge ... ..	Hayes Park ... ..	E. Benbow, M.R.C.S., and H. F. Winslow, M.D.
" " ... ..	Wood End House ... ..	H. Stilwell, M.D., and Mrs. M. E. Rowes.
Hendon, n.w. ... ..	Hendon Grove ... ..	H. Hicks, M.D., & Mrs. Hicks
Leyton ... ..	Great House ... ..	Mrs. C. E. Davey.
Peckham Rye, s.e. q.	24 Linden Grove... ..	Mrs. A. G. Preston
Southall ... ..	The Shrubbery ... ..	Miss H. J. Rosser.
" ... ..	Vine Cottage, Norwood Green ... ..	W. O. Chalk, M.R.C.S., and Mrs. Chalk.
Wandsworth, s.w. q.	The Huguenots, East Hill	Miss Martha Leech.
III. FOR SPECIAL CASES :		
Notting Hill, w. ... ..	24 Royal Crescent ...	H. C. Smith, M.R.C.S.
Teddington ... ..	Goudhurst, Stanley Road	R. A. Clarke, L.K.Q.C.P.
Tooting, Upper, s.w. ...	Ivy Lodge ... ..	G. C. Dale, M.D.
IV. RECEIVING IDIOTS, &c., OF BOTH SEXES :		
Hampton Wick ... ..	Normansfield* ... ..	J. L. H. Down, M.D., and Mrs. Down.

## PROVINCIAL LICENSED HOUSES.

(\* HOUSES RECEIVING PAUPERS—*m. Males only; f. Females only; q. Limited to quiet and harmless cases.*

Beds ... ..	f.	Bishopstone House, Bedford ... ..	W. S. Craig, M.D., and Mrs. Craig.
" ... ..	...	Springfield House, Bedford ... ..	David Bower, M.D., and Miss Norton
Derby ... ..	...	Wye House, Buxton ...	F. K. Dickson, F.R.C.P.
Devon ... ..	f.	Kenton, Exeter ... ..	W. Mules.
" ... ..	f.i.	Topsham, Exeter ...	Miss L. E. Sanders.
" ... ..	...	Plympton House, Plympton ... ..	C. Aldridge, M.D., and J. Aldridge.
Durham ... ..	...	Darlington ... ..	J. W. Eastwood, M.D.

\* Registered under the Idiots Act, 1886.

County.	Houses.	To whom Licensed.
Dorham ... ..	Dunston Lodge, Gateshead ... ..	W. Garbutt and W. H. Garbutt.
Essex ... ..	Witham ... ..	T. M. Tomkin, M.R.C.S.
Glamorgan ... ..	*Vernon House, Briton Ferry ... ..	Chas. Pegge, M.R.C.S., and E. V. Pegge.
Gloucester ... ..	Northwoods, Winterbourne, Bristol ...	R. Eager, M.D., and T. G. Seymour.
" ... ..	Fairford House, Fairford	D. Iles, M.R.C.S., and H. Iles.
" ... ..	<i>q.f.</i> Croft House, Fairford...	Mrs. Iles.
Hants ... ..	Westbrook House, Alton	Mrs. E. J. Burnett, and J. F. Wright, M.R.C.S.
" ... ..	<i>f.</i> The Briars, Sandown, Isle of Wight ... ..	Mrs. Steward and Miss Griffiths.
Herts ... ..	Harpenden Hall ... ..	A. Maclean, L.R.C.S. Ed.
" ... ..	Much Hadham ... ..	W. B. Willans, L.R.C.P.
Kent ... ..	North Grove House, Hawkhurst ... ..	W. M. Harmer, F.R.C.P., and Mrs. Harmer.
" ... ..	<i>q.f.</i> Springcroft, Beckenham.	R. R. Stilwell, M.D.
" ... ..	Goudhurst ... ..	R. S. Newington, M.R.C.S.
" ... ..	West Malling Place, Maidstone ... ..	J. Adam, M.D., and Mrs. Adam.
Lancaster ... ..	Marsden Hall, Burnley ...	Mrs. Bennett.
" ... ..	Outwood, Prestwich ...	H. B. Lomas.
" ... ..	*Haydock Lodge, Ashton, Newton-le-Willows ...	E. H. Beaman, Surgeon, & C. T. Street, L.R.C.P.
" ... ..	Tue Brook Villa, Liverpool ... ..	B. Hall, M.B., and G. S. Oldham.
" ... ..	<i>f.</i> Formby, Preston ... ..	S. A. Gill, M.R.C.P. Lond.
Norfolk ... ..	Heigham Hall, Norwich .	C. J. Watson, M.R.C.S.
" ... ..	Catton, Norwich... ..	T. J. C. Rackham.
Northampton ... ..	Abington Abbey Retreat, Northampton ... ..	H. S. Pritchard, and Miss Pritchard.
Salop ... ..	<i>q.m.</i> Stretton House, Church Stretton ... ..	Mrs. Hyslop and Mr. W. C. Hyslop.
" ... ..	<i>f.</i> All Stretton ... ..	Mrs. McLintock.
" ... ..	<i>f.</i> St. Mary's House, Whitchurch ... ..	S. T. Gwynn, M.D., and C. H. Gwynn, M.B.
" ... ..	Baschurch, Shrewsbury...	W. H. O. Sankey, M.D.
Somerset ... ..	Brislington House, Bristol ... ..	C. H. Fox, M.D., B. B. Fox, M.D.
" ... ..	Bath, Easton ... ..	L. A. Weatherley, M.D.
Stafford ... ..	Kingswinford, Dudley ...	H. G. Peacock, L.R.C.P.
" ... ..	<i>f.</i> Moat House, Tamworth .	J. F. Woody, M.R.C.S., & Edward Hollins, jun.
Suffolk ... ..	<i>q.m.</i> Aspell, Debenham ... ..	Miss Willson.
Surrey ... ..	<i>f.</i> Church Street, Epsom ...	W. C. Daniel, M.R.C.S.
" ... ..	<i>q.f.</i> Surbiton ... ..	R. Collum, M.D.
" ... ..	<i>q.f.</i> The Croshams, Sutton ...	F. D. Atkins, M.R.C.S.
" ... ..	Kingston-on-Thames ...	W. H. Roots, M.R.C.S.
Sussex ... ..	Ticehurst Asylum ... ..	H. F. H. Newington, M.R.C.P. Ed., and A. S. L. Newington, M.B.
" ... ..	Ditchling, Burgess Hill...	Miss Elizabeth Eccles.

County.	Houses.	To whom Licensed.
Sussex ... .. <i>f.</i>	Peritean House, Winchelsea, Rye ... ..	R. V. Skinner, M.R.C.S., and Mrs. Skinner.
" ... .. <i>q.f.</i>	Hollington ... ..	Mrs. Hitch.
Warwick ... ..	Glendossil, Henley-in-Arden ... ..	S. H. Agar, L.K.Q.C.P., and Mrs. Agar.
Wilts ... ..	Laverstock House, Salisbury ... ..	J. Haynes and H. J. Manning, M.R.C.S.
" ... ..	*Fisherton House, Salisbury ... ..	W. C. Finch, M.R.C.S., & B. T. Finch, M.R.C.S.
" ... ..	Market Lavington ... ..	C. Hitchcock, L.R.C.P.
" ... ..	Kingsdown House, Box... ..	Mrs. Nash and J. J. F. Barnes, M.R.C.P.
York, E-R ... .. <i>q.f.</i>	Sculcoates, Hull ... ..	J. Brown.
" W.R... .. <i>q.</i>	Greta Bank, Barnoldswick, Bentham ... ..	Mrs. J. Parker and Miss Dora Parker.
" ... .. <i>q.</i>	Acomb, York ... ..	Miss Jane E. Cooney.
" ... .. <i>q.</i>	Acomb, York ... ..	W. J. Nelson, L.S.A.
" ... .. <i>f.</i>	The Grange, Kimbworth, Rotherham ... ..	J. G. Atkinson, M.D., Mrs. Atkinson, and Dr. W. C. S. Clapham.
" City ... ..	Lawrence House, York ... ..	G. I. Swanson, M.D.

## HOUSES REGISTERED UNDER THE IDIOTS ACT, 1886.

Devon ... ..	Idiot Asylum, Starcross... ..	W. Locke.
Somerset ... ..	Downside Lodge, Chilcompton, Bath ... ..	
Warwick ... ..	Idiot Asylum, Knowle, Birmingham ... ..	J. H. Kimbell, F.R.C.S., and Miss Stock.

## SCOTLAND.—I. ROYAL DISTRICT ASYLUMS.

Asylum.	Where situated.	Name of Superintendents.
Aberdeen Royal Asylum ...	Aberdeen ... ..	Dr. Reid.
Dumfries Royal Asylum ...	Dumfries ... ..	Dr. Rutherford.
Dundee Royal Asylum ...	Dundee ... ..	Dr. Rorie.
Edinburgh Royal Asylum .	Edinburgh ... ..	Dr. Clouston.
Glasgow Royal Asylum ...	Glasgow ... ..	Dr. Yellowlees.
Montrose Royal Asylum ...	Montrose ... ..	Dr. Howden.
Perth Royal Asylum ...	Perth ... ..	Dr. Urquhart.
Argyll District Asylum ...	Lochgilthead ... ..	Dr. Cameron.
Ayr District Asylum ...	Ayr ... ..	Dr. Skae.
Banff (Ladysbridge) ...	Ladysbridge ... ..	Mr. Donaldson.
Banff, Woodpark ...	Woodpark ... ..	Mrs. McCulloch.
Elgin District Asylum ...	Elgin ... ..	Mr. Pickeman.
Fife District Asylum ...	Cupar-Fife ... ..	Dr. Turnbull.
Glasgow District Asylum .	Bothwell ... ..	Dr. Clark.
Haddington Dist. Asylum	Haddington ... ..	Mr. Mowat.
Inverness District Asylum	Inverness ... ..	Dr. Aitken.
Mid-Lothian Dist. Asylum	Rosewell ... ..	Dr. Mitchell.
Perth District Asylum ...	Murthly ... ..	Dr. Campbell.
Roxburgh District Asylum	Melrose ... ..	Dr. Johnstone.
Stirling District Asylum ...	Larbert ... ..	Dr. Maclaren.

\* Registered under the Idiots Act, 1886.

Asylums.	Where Situated.	Name of Superintendent.
<b>II. PRIVATE ASYLUMS.</b>		
Mavisbank ... ..	Loanhead (Midlothian) .	Dr. Keay.
Mollendo House ... ..	Musselburgh ... ..	Mr. McKenzie.
Saughtonhall ... ..	Slateford ... ..	Dr. Tuke.
Westermains ... ..	Kirkintilloch ... ..	Mr. Lawrie.
Whitehouse ... ..	Inveresk ... ..	Mrs. Gray.
<b>III. PAROCHIAL ASYLUMS.</b>		
Abbey Parochial Asylum	Paisley ... ..	Mr. Calder.
Barony Parochial Asylum	Lenzie ... ..	Dr. Blair.
Glasgow Parochial Asylum	Glasgow ... ..	Dr. Buchan.
Govan Parochial Asylum	" ... ..	Dr. Watson.
Greenock Parochial Asylum	Greenock ... ..	Dr. Jas. Wallace.
Paisley Burgh Parochial Asylum	Paisley ... ..	Mr. Thomson.
<b>IV. POOR-HOUSES HAVING LUNATIC WARDS.</b>		
Aberdeen Poor-house ... ..	Aberdeen ... ..	Mr. Dalgleish.
Buchan Poor-house ... ..	New Maud ... ..	Mr. Fowler.
Cuninghame Poor-house ... ..	Irvine ... ..	Mr. Lockhart.
Dumbarton Poor-house ... ..	Dumbarton ... ..	Mr. McLean.
Dundee East Poor-house ... ..	Dundee ... ..	Mr. Buglass.
Dundee West Poor-house ... ..	" ... ..	Mr. Aitken.
Edinburgh Poor-house ... ..	Edinburgh ... ..	Mr. Bennet.
Hamilton Poor-house ... ..	Hamilton ... ..	Mr. Mackenzie.
Inveresk Poor-house ... ..	Inveresk ... ..	Mr. Thomson.
Kincardine Poor-house ... ..	Stonehaven ... ..	Mr. Williamson.
Linlithgow Poor-house ... ..	Linlithgow ... ..	Mr. Bruce.
Old Machar Poor-house ... ..	Aberdeen ... ..	Mr. Johnstone.
Old Monkland Poor-house ... ..	Coatbridge ... ..	Mr. McAndrew.
Perth Poor-house ... ..	Perth ... ..	Mr. Stewart.
St. Cuthberts Poor-house ... ..	Edinburgh ... ..	Mr. Young.
Wigton Poor-house ... ..	Stranraer ... ..	Mr. Reid.

**IRELAND.—DISTRICT ASYLUMS.**

Asylums.	Where Situated.	To whom Licensed.
Antrim ... ..	Belfast ... ..	A. S. Merrick, M.D.
Armagh ... ..	Armagh ... ..	William Graham, M.D.
Galway ... ..	Ballinasloe ... ..	Robert V. Fletcher, M.D.
Carlow and Kildare ... ..	Carlow ... ..	T. P. O'Meara, M.B.
Mayo ... ..	Castlebar ... ..	E. D. O'Neil, L.K.Q.C.P.
Tipperary ... ..	Clonmel ... ..	W. H. Garner, F.R.C.S.I.
Cork ... ..	Cork ... ..	J. Jameson Dwyer, L.K.Q.C.P.
Down ... ..	Downpatrick ... ..	G. St. G. Tyner, F.R.C.S.I.
Clare ... ..	Ennis ... ..	R. P. Gelston, L.K.Q.C.P.
Wexford ... ..	Enniscorthy ... ..	Thos. Drapes, M.D.
Kilkenny ... ..	Kilkenny ... ..	Barry Delany, M.D.
Kerry ... ..	Killarney ... ..	Oscar T. Woods, M.B.
Donegal ... ..	Letterkenny ... ..	G. W. Hatchell, M.D.

Asylum.	Where Situated.	To whom Licensed.
Limerick ... ..	Limerick ... ..	E. M. Courtenay, M.D.
Derry ... ..	Londonderry ... ..	C. E. Hetherington, M.B.
Queen's and King's Cos. ...	Maryboro' ... ..	Joseph Hy. Hatchell, M.D.
Monaghan and Cavan ...	Monaghan ... ..	Edward Taylor, L.K.Q.C.P.
Meath and Longford ...	Mullingar ... ..	P. J. Finegan, L.K.Q.C.P.
Tyrone ... ..	Omagh ... ..	George E. Carre, M.B.
Dublin City and Co. ...	Richmond ... ..	Conolly Norman, M.K.Q.C.P.
Sligo ... ..	Leitrim ... ..	J. Petit, L.R.C.S.I.
Waterford ... ..	Waterford ... ..	Ringrose Atkins, M.D.
Central Criminal Lunatic Asylum ... ..	Dundrum ... ..	Dr. Isaac Ashe.

## PRIVATE ASYLUMS.

Armagh Retreat ... ..	3 miles from Armagh ...	Mr. A. D. Allen.
Bloomfield Retreat, Dublin	Donnybrook, near Dublin	Society of Friends.
Cittadella, Co. Cork ...	1 mile from Cork ...	Dr. J. E. Bull.
Course Lodge, Rich Hill	4 miles from Armagh ...	Mr. J. H. Orr.
Elm Lawn, Dundrum ...	3 miles from Dublin ...	Mrs. Bernard.
Esker Ho., Rathmines ...	2 m. from Dublin ..	Mrs. McDowell.
Farnham House, Dublin	Finglas, Dublin ..	Dr. A. Patton.
Hampstead House, Drum- condra ... ..	2 m. from Dublin ...	Dr. Eustace.
Hartfield House, do. ...	2½ m. from Dublin ...	Dr. W. Lynch.
Highfield House, do. ...	2 m. from Dublin ...	Dr. Eustace.
Lindville, Co. Cork ...	1½ m. from Cork ...	Mr. J. Osborne.
Lysle House, Crumlin ...	2 miles from Dublin ...	Mrs. Hayes.
Midland Retreat, Queen's Co. ... ..	1 m. from Maryboro' ...	Dr. Jacob.
Mt. Alton, Templeogue,	6 m. from Dublin ...	Dr. Fry.
Orchardstown House,	4 m. from Dublin, South	
Rathfarnham ... ..	Suburbs ... ..	Mrs. Stanley.
St. John of God, Stillorgan	3 m. from Dublin ...	Rev. E. Picard.
St. Patrick's, Belmont, Co. Waterford ... ..		J. Baker.
St. Patrick's Hospital (Swift's), Dublin ...	Kingbridge, Dublin ...	Dr. W. Rice.
Spring Lawn House ...	King's County ... ..	The Misses Peppard.
Stewart Institution ...	Palmerstown, Dublin ...	Society for Protecting Idiots,
Verville, Clontarf ... ..	3 m. from Dublin ...	Dr. W. Lynch.
St. Vincent's, Clontarf ...	2 m. from Dublin ...	Srs. of Charity.
Woodbine Lodge ... ..	Rathfarnham, Dublin ...	Mrs. Hayes.

